

## Characteristics

The strong black color of Black Wolf™ makes a statement no matter where it's used. Black Wolf™ is manufactured with a very pure natural latex formulation, which allows for incredible strength and elasticity, as well as extraordinary comfort. It's the first choice of a wide range of professionals including; law enforcement, corrections, first responders, tattoo artists, professional piercers and many others. Textured surface provides an excellent grip. Dark Black color.



**BLACK WOLF™**

**Latex  
Series 127**

**Exam Glove  
Non-Sterile**



## PRODUCT DETAILS

SIZE	ITEM NO.	PACKAGING	DESCRIPTION
XS	127050	100 Gloves/box, 10 boxes/case	Gloves, Exam, Latex, Non Sterile, Powder-Free, Textured, Black Color
S	127100	100 Gloves/box, 10 boxes/case	
M	127200	100 Gloves/box, 10 boxes/case	
L	127300	100 Gloves/box, 10 boxes/case	
XL	127350	100 Gloves/box, 10 boxes/case	

### Product Attributes

- Micro Chlorinated
- Low Modulus
- Low Protein
- Textured

### Benefits

- Softer Feel with Better Grip
- Provides a More Comfortable Fit
- Reduced Chances of Latex Allergic Reactions
- Improved Wet/Dry Grip

*Product Solutions You Trust*



INNOVATIVE  
HEALTHCARE  
CORPORATION

www.ihcsolutions.com

# Specification Sheet

# BLACK WOLF™

## Powder Free Textured Latex Exam Gloves



- 100 Qty (By Weight)
- Single Use
- Ambidextrous
- Non-Sterile

Black Wolf™ Latex is manufactured in compliance with multiple international standards, including the following:

Designation	Standard
ASTM D3578	Standard Specification for Rubber Examination Gloves
ASTM D5151	Standard Test Method for Detection of Holes in Medical Gloves
ASTM F1671	Standard Test Method for Resistance of Materials Used in Protective Clothing to Penetration by Blood-Borne Pathogens
ASTM D5712	Standard Test Method for Analysis of Aqueous Extractable Protein in Natural Rubber

Average Length	Average Palm Thickness	Average Finger Thickness
9.5 in ♦ 240 mm	5.5 mil ♦ 0.14 mm	6.0 mil ♦ 0.15 mm

Tensile Strength & Elongation	Before Aging	After Accelerated Aging
Tensile Strength (Mpa)	30	28
ASTM Requirement Min. (Mpa)	18	14
Elongation (%)	900	860
ASTM Requirement Min. (%)	650	500



**Intertek**

Innovative Healthcare Corporation  
is certified to ISO 13485:2003 QMS  
for medical devices.



INNOVATIVE  
HEALTHCARE  
CORPORATION

*Product Solutions You Trust*

127S-042618