

# c o n t e n t s

SYBRONENDO PRODUCTS



2	DIAGNOSTICS
8	SHAPE
28	CLEAN
32	OBTURATION
48	ULTRASONICS
56	MICROSURGERY
66	RETREAT & RESTORE
70	INDEX





## DIAGNOSTICS

The first step to a successful root canal preparation is to find out as much information about the tooth as possible. The SybronEndo Diagnostic line is second to none in this arena. Anchored by our innovative Elements Apex Locator, our diagnostic equipment provides the standard by which all others are measured.

ELEMENTS DIAGNOSTIC UNIT	4
MINI APEX LOCATOR	6
EXPLORERS	7
VITALITY SCANNER	7

# diagnostics





# The future of endodontics is here



## ELEMENTS™ DIAGNOSTIC UNIT AND APEX LOCATOR

When you're doing a root canal, you need to get to the point – the apex – predictably, efficiently and accurately. This technology optimizes earlier engineering to give you the most precise reading available today. What's more, the satellite display, which you can place on the instrument tray, the microscope, the patient's bib or anywhere else you choose, brings critical data into your field of vision.



<b>A</b> File Clip	973-0310
<b>B</b> Bifurcated Probe	973-0307
<b>C</b> Crown Test Tip (Diagnostic Unit only)	973-0309
<b>D</b> Vitality Probe (Diagnostic Unit only)	973-0308
<b>E</b> Lip Hook (5-pack)	973-0313
<b>F</b> Elements Patient Lead Cord	973-0311
<b>G</b> Satellite with Satellite Cord	973-0303
<b>H</b> Elements Diagnostic Unit	973-0300
<b>H</b> Diagnostic Unit (without Satellite)	973-0320
<b>H</b> Elements Apex Locator	973-0301
<b>H</b> Apex Locator (without Satellite)	973-0321
Elements Patient Lead Cord (without Satellite) <i>Not Pictured</i>	973-0304
<b>Charge Adapter</b>	973-0302
<b>Battery Pack</b>	973-0305

## FEATURES AND BENEFITS

- Auto-power off conserves battery life
- Full-range audio speakers eliminate annoying beeps
- Nonglare tilt screen with digital and graphical feedback
- Autoclavable medical-grade cords and connectors
- Probes are gold plated to resist micro-corrosion
- Automatic calibration for a more accurate diagnosis
- Advanced battery technology for longest life between charges
- Vitality Scanner provides pain-free electric pulp testing and accurate analysis in the presence of EDTA, sodium hypochlorite, blood, saline, water and hydrogen peroxide



SILVER WINNER FOR 2004  
INDUSTRIAL DESIGN EXCELLENCE AWARDS



FIVE PLUS RATING FOR 2004  
THE DENTAL ADVISOR



MINI APEX LOCATOR 973-0280


MINI APEX LOCATOR

SybronEndo's Mini Apex Locator delivers the power of apex location in the palm of your hand and offers a new level of accuracy at an affordable price.


Mini Apex Locator	973-0280
Lead Wire (autoclavable) (pkg of 2)	973-0281
File Clip (autoclavable) (pkg of 3)	973-0283
Lip Hook (autoclavable) (pkg of 5)	973-0282
Disposable Sleeves (pkg of 16)	973-0284
Mini File Adaptor (pkg of 5)	973-0285
Mini Probe (2mm pin) (pkg of 2)	973-0120
Long Probe (2mm pin) (pkg of 2)	973-0121

FEATURES AND BENEFITS


- Digital signal processing
- Compact size
- Great technology and value
- New levels of accuracy
- No counter space required
- A powerful apex locator at an affordable price



Lead Wire



Disposable Sleeves




File Clip



Lip Hook



Large Probe



Mini Probe



Mini File Adaptor


ENDO EXPLORERS

The extremely sharp and durable Carr Explorer is used to create an initial tracking groove by hand.

CX-1 Carr Explorer 974-0040

The Endo Explorer is our classic explorer used to locate canals.

DG-16 Endo Explorer 974-0041



VITALITY SCANNER™ 2006

The Vitality Scanner 2006 ensures dependable and pain-free pulp testing. This outstanding diagnostic tool is automatically controlled and features large digital readouts. It's the quick and easy solution for patient- and practice-friendly pulp testing.

Vitality Scanner 2006	973-0234
Short Probe Tip	973-0232
Long Probe Tip	973-0233
Mini-Tip Kit	973-0231
Lip Clip (pkg of 5)	973-0227
Grounding Lead with Lip Clip	973-0226



LONG TIP 973-0233

SHORT TIP 973-0232

MINI TIP 973-0231



GROUNDING LEAD WITH LIP CLIP 973-0226



Use with Vitality Scanner 2006




The art and science of rotary nickel titanium endodontic canal preparation has taken a quantum leap forward with the introduction of the Twisted File, known as TF.

S H A P E

# shape

<b>NEW &gt;</b>	TF — TWISTED FILES	10
	K3 NICKEL-TITANIUM FILES	14
<b>NEW &gt;</b>	MASTERING ENDODONTIC INSTRUMENTATION / MCSPADDEN	14
	K3 WORKSTATION	15
	QUANTEC NICKEL-TITANIUM FILES	16
	LA AXCESS BURS AND INSTRUMENTS	18
	ENDORING	19
	ENDO-BENDER	19
	SLICKGEL ES	19
<b>NEW &gt;</b>	ENDOTOUCH TC	20
	ELECTRIC ENDODONTIC MOTOR	21
	M4 SAFETY HANDPIECE	21
	HANDPIECES	22
	FILES	24
	INSTRUMENTS	26



SEE OUR NEW TF (TWISTED FILES) > PAGE 10.





## A NEW PARADIGM IN CANAL SHAPING

*The Twisted File is the endodontic equivalent of man stepping on the moon. Yes, it is breakthrough technology. But more than that, it presents a new paradigm in canal enlargement.*

— Richard Mounce, DDS, Vancouver, Washington

## A QUANTUM LEAP IN FILE DESIGN AND MANUFACTURING

The Twisted File is the first and only file to combine three unique and proprietary processes to deliver optimal strength and flexibility:

### R-PHASE HEAT TREATMENT TECHNOLOGY



This proprietary technology is used to optimize the molecular phase and properties of nickel titanium (NiTi). The resulting crystalline structure modification, which has been shown to be finer than traditionally-processed materials<sup>1</sup> maximizes flexibility and resistance to breakage.

### TWISTED DESIGN, NOT GROUND



Twisting optimizes grain structure and eliminates formation of microfractures, making the file even more durable. Other endodontic files are made by grinding flutes into the file.

Grinding weakens the metal's structure at the molecular level and creates microfractures on the metal's surface – both of which can lead to file separation.

### ADVANCED SURFACE TREATMENT



The Twisted File's special surface conditioning treatment finishes the file surface while respecting the integrity of the underlying grain structure. This maintains the hardness of the file and sharpness of the cutting edges.

sharpness of the cutting edges.


## STRENGTH AND FLEXIBILITY THAT CAN BE MEASURED

In a study of cyclic fatigue, the Twisted File performed 2-3 times better than other NiTi rotary files on the market.<sup>2</sup>

In a torsional stress comparison, the Twisted File was shown to absorb by far the greatest amount of energy before fracture. In fact, it can withstand about 60% more torque than files made using a traditional manufacturing process.<sup>1</sup>

The Twisted File is up to 70% more flexible than other rotary NiTi files.<sup>2</sup>

### CYCLIC FATIGUE COMPARISON<sup>2</sup>



## AS SIMPLE AS 1-2-3

Twisted Files come in packs of three. That's not an arbitrary number. They simply work more efficiently and last longer. The Twisted File:

- Significantly lowers the number of files used per endo case
- Improves clinical efficiency in completing endo cases
- Reduces chair time for patients
- Greatly lowers the level and cost of normal file inventory



*When I look at a file system, I want three things. I want a file that won't break. I want a file that's going to be really easy to use. And I want a file in a system that I'll use as few files as possible.*

— Thomas Jovicich, DMD, Encino, California

Taper	Tip	23mm	27mm
.04	25	822-4253	822-4257
.06	25	822-6253	822-6257
.08	25	822-8253	822-8257
.10	25	822-0253	822-0257
.12	25	822-2253	
S-ASTD	25	822-4683	822-4687
L-ASTD	25	822-6803	822-6807

Small assorted (S-ASTD) packs contain .04, .06 and .08 tapers. Large assorted (L-ASTD) packs contain .06, .08 and .10 tapers.

TF gutta percha and paper points have been made specifically for use with the TF Rotary NiTi files. See page 41.

1. Nicoll T, Oestreich L, Tang C, Ravi VA. Evaluation of product properties resulting from a new NiTi endodontic file manufacturing process. Chemical and Materials Engineering Department, California State Polytechnic University, 2006.

2. Data on file, Sybron Dental Specialties, Inc. Data from Gambarini G. Cyclic fatigue test and flexibility test.



**K3™ is a third-generation, triple-fluted, asymmetric endodontic file system. Designed to cut quickly, efficiently and safely, with unparalleled debris removal, the K3 addresses technical and procedural issues that no other ground-fluted instrument does.**

*K<sup>3</sup> = √ENDO™*




RADIOGRAPH COURTESY OF DR. RICHARD MOUNCE

### ENGINEERED FOR EFFICIENCY

Positive rake angle provides the active cutting action of the K3 file.

Reduced radial land with wide blade support adds peripheral strength to resist torsional and rotary stresses.




The third radial land stabilizes and keeps the instrument centered in the canal and minimizes "over-engagement."

Radial land relief reduces friction on the canal wall.

### VARIABLE PITCH


Many files maintain a constant pitch (distance between cutting edges) through the length of the file. This may cause a "screw-in" effect whereby each successive flute naturally follows the path created by the one before. **The K3 file has a varied pitch that allows debris to effectively channel coronally.** This is important not only during initial cleaning and shaping but also for retreatment.



**K3 files are more efficient than some other file systems at removing gutta percha in the apical third.** (Ref 2)

### LESS FRICTION, MORE SUPPORT

With the recessed trailing edge of the radial land, K3 files minimize frictional resistance. Other nickel-titanium systems have wide radial lands that cause friction and can lead to breakage. K3 files have added mass behind the cutting surface to provide support and maintain integrity. With other systems, blade rollover or cracks can occur during instrumentation.



### AXXESS


Our Axxess line was designed for those difficult, hard-to-reach cases. Shorter file handles, when used in conjunction with our Axxess handpiece, result in an overall height reduction of approximately 5mm.

### VARIABLE CORE DIAMETER

The relationship between the core diameter and the outer diameter varies from D1 to D16 in order to maintain flexibility along the entire working length.


### SAFE-ENDED TIP

Assists in following the canal shape while minimizing apical transportation.



*The K3 system allows the practitioner to internally sculpt the root canal wall to a glassy smooth finish with safety, predictability and efficiency. Because of the wide selection of tapers and sizes available, if you're a beginner they're great, and if you're an expert, there is nothing you can't do with them!*

– Gary Glassman, DDS, FRCD(C), Toronto, Canada




### INCREASED HELICAL ANGLE

The increasing variable helical angle from tip to handle helps reduce the "pull-down" effect and assists in channeling debris coronally. This feature allows continuous instrumentation with little or no interruption from clogged flutes.

### BLADE SUPPORT

Blade rollover or cracks can occur during instrumentation. SybronEndo has added structure behind the K3 and Quantec File edge. This is the most effective means of preventing the aforementioned problems.






K3™ NICKEL-TITANIUM FILES

Taper	Tip	21mm	25mm	30mm
.02	15	825-2151	825-2155	825-2150
.02	20	825-2201	825-2205	825-2200
.02	25	825-2251	825-2255	825-2250
.02	30	825-2301	825-2305	825-2300
.02	35	825-2351	825-2355	825-2350
.02	40	825-2401	825-2405	825-2400
.02	45	825-2451	825-2455	825-2450
.02	15-40 Assorted	825-2021	825-2025	
.04	15	825-4151	825-4155	825-4150
.04	20	825-4201	825-4205	825-4200
.04	25	825-4251	825-4255	825-4250
.04	30	825-4301	825-4305	825-4300
.04	35	825-4351	825-4355	825-4350
.04	40	825-4401	825-4405	825-4400
.04	15-40 Assorted	825-4021	825-4025	
.04	45	825-4451	825-4455	825-4450
.04	50	825-4501	825-4505	825-4500
.04	55	825-4551	825-4555	825-4550
.04	60	825-4601	825-4605	825-4600
.06	15	825-6151	825-6155	825-6150
.06	20	825-6201	825-6205	825-6200
.06	25	825-6251	825-6255	825-6250
.06	30	825-6301	825-6305	825-6300
.06	35	825-6351	825-6355	825-6350
.06	40	825-6401	825-6405	825-6400
.06	15-40 Assorted	825-6021	825-6025	
.06	45	825-6451	825-6455	825-6450
.06	50	825-6501	825-6505	825-6500
.06	55	825-6551	825-6555	825-6550
.06	60	825-6601	825-6605	825-6600
Taper	Tip	17mm	21mm	25mm
.08	25	830-8257	830-8251	830-8255
.10	25	830-0257	830-0251	830-0255
.12	25	830-2257	830-2251	830-2255

K3 INTRO KIT 825-0046

K3 GUTTA PERCHA

Taper	Tip	
.04	20	825-0420
.04	25	825-0425
.04	30	825-0430
.04	35	825-0435
.04	40	825-0440
.04	45	825-0445
.04	20-40 Assorted	825-0400
.04	Feather Tip	825-0047
.06	20	825-0620
.06	25	825-0625
.06	30	825-0630
.06	35	825-0635
.06	40	825-0640
.06	45	825-0645
.06	20-40 Assorted	825-0600
.06	Feather Tip	825-0048



MASTERING ENDODONTIC INSTRUMENTATION

Dr. John T. McSpadden, a proliferate inventor and researcher, introduced the first nickel-titanium endodontic files. He has now authored the most comprehensive evidence-based rotary instrumentation text available.

Mastering Endodontic Instrumentation 973-0130

K3 PROCEDURE PACK  
INSTRUMENTATION GUIDE

CASES WILL VARY ACCORDING TO INDIVIDUAL TOOTH ANATOMY.

1. Obtain straight-line access using the LA Axxess kit.
2. Locate the canal orifices and obtain coronal patency using hand files.
3. Begin crown-down by taking a .10 taper K3 Shaper to resistance.
4. Take a .08 taper K3 Shaper to resistance.
5. Estimate apical size.
6. Begin crown-down using a size #40 K3 File.
7. Establish working length with your Elements Diagnostic unit.  
A radiograph may be taken to assist in determining working length.
8. Complete crown-down preparation with a #35 K3 File, #30 K3 File, and #25 K3 File by taking each instrument to resistance at 300 to 350 rpm in an electric torque-control motor, using each instrument for no longer than 5 to 7 seconds.

CLINICAL TIPS

- Establish a glide path with hand files. Confirm patency between all rotary files.
- Irrigate often, alternating between sodium hypochlorite & SmearClear™ (17% EDTA solution along with centrimide and additional proprietary surfactants).
- Use very light pressure. Never force instruments. When the instrument no longer advances apically, proceed to the next file.

The Procedure Pack will work in many cases, but all canals are different and additional sizes of K3 Files may be required. Begin with a K3 File three sizes larger than your estimated apical diameter.

K3 PROCEDURE PACKS

<b>830-0621</b> <b>17mm</b> TAPER TIP .10 25 .08 25 <b>21mm</b> TAPER TIP .06 40 .06 35 .06 30 .06 25	<b>830-0625</b> <b>17mm</b> TAPER TIP .10 25 .08 25 <b>25mm</b> TAPER TIP .06 40 .06 35 .06 30 .06 25	<b>830-0421</b> <b>17mm</b> TAPER TIP .10 25 .08 25 <b>21mm</b> TAPER TIP .04 40 .04 35 .04 30 .04 25	<b>830-0425</b> <b>17mm</b> TAPER TIP .10 25 .08 25 <b>25mm</b> TAPER TIP .04 40 .04 35 .04 30 .04 25
---	---	---	---

The bottom band indicates the ISO tip size and the top band indicates the taper.

K3 VTVT PACKS

<b>830-7721</b> <b>21mm</b> TAPER TIP .10 25 .08 25 .06 35 .04 30 .06 25 .04 20	<b>830-7725</b> <b>25mm</b> TAPER TIP .10 25 .08 25 .06 35 .04 30 .06 25 .04 20
---	---

K3 G-PACKS

<b>830-9921</b> <b>17mm</b> TAPER TIP .12 25 <b>21mm</b> TAPER TIP .10 25 .08 25 .06 25 .04 25 .02 25	<b>830-9925</b> <b>17mm</b> TAPER TIP .12 25 <b>25mm</b> TAPER TIP .10 25 .08 25 .06 25 .04 25 .02 25
---	---

K3 WORKSTATION

The K3 Workstation provides three rows for files, a holder for gutta purcha points, a ruler for measuring files, a holder for disposable foam, and a Tip Snip gutta purcha cutter. Using a measurement dial, the Tip Snip flush cuts gutta purcha to the apex size you need. An extra row of holes in the back forms a staircase that gives a rapid and perfect file measurement.

K3 Workstation 815-9119  
Foam Insert 815-9011





QUANTEC LX (NON-CUTTING) TIP



AXXESS HANDLE

Engine Graduated Tapers .25mm Tip

Taper	.03	.04	.05	.06	.08	.10	.12	Assorted
17mm				815-2128	815-2129	815-2131	815-2133	
21mm	815-2100	815-2102	815-2104	815-2106	815-2130	815-2132	815-2134	815-1321
25mm	815-2101	815-2103	815-2105	815-2107	815-2135			815-1325

Engine ISO (.02 Taper)

Tip	.15	.20	.25	.30	.35	.40	.45	.50	.55	.60
21mm	815-2108	815-2110	815-2112	815-2114	815-2116	815-2118	815-2120	815-2122	815-2124	815-2126
25mm	815-2109	815-2111	815-2113	815-2115	815-2117	815-2119	815-2121	815-2123	815-2125	815-2127

STANDARD HANDLE

Engine Graduated Tapers .25mm Tip

Taper	.03	.04	.05	.06
17mm	815-1128			
21mm	815-1100	815-1102	815-1104	815-1106
25mm	815-1101	815-1103	815-1105	815-1107

Engine ISO (.02 Taper)

Tip	.15	.20	.25	.30	.35	.40	.45	.50	.55	.60
21mm	815-1108	815-1110	815-1112	815-1114	815-1116	815-1118	815-1120	815-1122	815-1124	815-1126
25mm	815-1109	815-1111	815-1113	815-1115	815-1117	815-1119	815-1121	815-1123	815-1125	815-1127

QUANTEC SC (CUTTING) TIP



AXXESS HANDLE

Engine Graduated Tapers .25mm Tip

Taper	0.03	0.04	0.05	0.06	
17mm					815-2028
21mm	815-2000	815-2002	815-2004	815-2006	
25mm	815-2001	815-2003	815-2005	815-2007	

Engine ISO (.02 Taper)

Tip	0.15	0.20	0.25	0.30	0.35	0.40	0.45	0.50	0.55	0.60
21mm	815-2008	815-2010	815-2012	815-2014	815-2016	815-2018	815-2020	815-2022	815-2024	815-2026
25mm	815-2009	815-2011	815-2013	815-2015	815-2017	815-2019	815-2021	815-2023	815-2025	815-2027

STANDARD HANDLE

Engine Graduated Tapers .25mm Tip

Taper	0.03	0.04	0.05	0.06
17mm	815-1028			
21mm	815-1000	815-1002	815-1004	815-1006
25mm	815-1001	815-1003	815-1005	815-1007

Engine ISO (.02 Taper)

Tip	0.15	0.20	0.25	0.30	0.35	0.40	0.45	0.50	0.55	0.60
21mm	815-1008	815-1010	815-1012	815-1014	815-1016	815-1018	815-1020	815-1022	815-1024	815-1026
25mm	815-1009	815-1011	815-1013	815-1015	815-1017	815-1019	815-1021	815-1023	815-1025	815-1027

The efficiency I achieve through the use of Quanteq SC files is invaluable, allowing me more time to focus on my patient’s needs and concerns and less time on the mechanical aspects of cleaning and shaping the case.



— Dr. Matt Brock

The LA Axxess™ burs, designed in cooperation with Dr. L. Stephen Buchanan, idealize the functional aspects of access preparations by cutting a perfect line-angle extension without any ledges or irregularities. These burs quickly, safely and accurately cut ideal filepaths through coronal tooth structure, dramatically reducing the chances of file separation.

LA Axxess 2.0 Kit 815-1404  
Kit contains two of each bur.



LA Axxess Kit 815-1400  
Kit contains two of each bur.



**LA AXXESS™ DIAMOND BUR**

Designed by Dr. L. Stephen Buchanan, the LA Axxess high-speed diamond bur allows effortless cutting of dentin and enamel and automatically, without any direct visual control, creates perfect line-angle extensions as it meets each orifice. With its rapid high-speed cutting ability and its automated out-line form, molar access times can be greatly reduced and outline forms have a more organic shape, which idealizes line-angle extension as well as conservation of tooth structure.

LA Axxess Diamond Bur (6/pk) 815-1415

**LA AXXESS REFILLS**

- (Shown from left to right)
- |  |          |
|--|----------|
| #2 Round Diamond (5/pk)                                | 815-1418 |
| Cross Cut Carbide Bur (5/pk)                           | 815-1417 |
| #2 Round Carbide Bur (5/pk)                            | 815-1412 |
| #4 Round Carbide Bur (5/pk)                            | 815-1414 |
| #6 Round Carbide Bur (5/pk)                            | 815-1416 |
| Long Tapered Diamond (5/pk)                            | 815-1420 |
| Extra Long Tapered Diamond (5/pk)                      | 815-1421 |
| #1 Line Angle Stainless Steel Axxess Instrument (6/pk) | 815-1401 |
| #2 Line Angle Stainless Steel Axxess Instrument (6/pk) | 815-1402 |
| #3 Line Angle Stainless Steel Axxess Instrument (6/pk) | 815-1403 |
| Football Diamond (5/pk)                                | 815-1419 |
| LA Axxess Bur Clip (Empty)                             | 815-1422 |

Parabolic tip prevents ledging or dinging.



**ENDORING**

A convenient way to hold endodontic instruments and canal lubricant during a procedure, the EndoRing features an easy-to-read ruler with rubber stop port, allowing quick measurements of files up to 30mm (at 1 and .5mm increments) for both right- and left-handed clinicians. The EndoRing and the foam inserts are autoclavable.

- |   |          |
|---|----------|
| EndoRing Kit  | 825-0049 |
| Contains:   |          |
| 1 – EndoRing Measuring Device (with 3 sizes of rings) |          |
| 1 – Nondisposable Gel Well                            |          |
| 4 – Disposable Gel Wells                              |          |
| 3 – Foam Inserts                                      |          |
| Foam Inserts (48 pieces – 24 blue/24 yellow)          | 825-0050 |
| Disposable Gel Wells (24 pieces)                      | 825-0051 |



**ENDO-BENDER®**

Designed by Dr. L. Stephen Buchanan, SybronEndo's Endo-Bender allows the clinician to accurately bend endodontic products to conform to all canal curvatures. Stainless steel files, posts, pluggers, and spreaders can now be curved and bent with precision and accuracy. The Endo-Bender accomplishes what hemostats, pliers, cotton rolls or fingers never could. Fabricated from surgical stainless steel, the Endo-Bender is built to last, yet will safely bend instruments without kinking or destroying them. The instrument has a numbered gauge for consistency and is autoclavable.

Endo-Bender 976-0100  
Endo-Bender Gauge 976-0101

**SlickGel™ ES**


**SLICKGEL™ ES**

SlickGel™ ES is specially formulated to aid in the negotiation of root canals by endodontic instruments. Each MicroDose® polytube contains EDTA that chelates calcifications in the root canal system. Sodium hypochlorite irrigants react with SlickGel ES's urea peroxide to produce vigorous bubbling action that helps flush debris from the root canal system.

SlickGel ES is composed of a water-soluble base containing urea peroxide and an aqueous solution of EDTA, which aids in chemically removing the smear layer. SlickGel ES primarily provides a lubricating medium that helps with the negotiation of a file into an endodontically treated tooth. This step is important in that it helps prevent blockage during the cleaning and shaping process. Combined with SmearClear,™ used at the end of the procedure, the smear layer can be effectively removed.

SlickGel ES is packaged in single-use 1ml MicroDose polytubes that cut open easily. Twelve SlickGel polytubes are conveniently sealed in a resealable poly bag for easy storage and dispensing.

SlickGel ES pack 973-1015  
12 MicroDose polytubes (1ml ea)







### ENDOTOUCH™ TC

The EndoTouch TC by NSK is our first endodontic motor without a cord or foot pedal. Small, light, and powerful, the EndoTouch TC delivers five torque settings and nine preset speeds, giving the clinician total control during instrumentation. Combined with the durable K3 rotary nickel-titanium files, it is the most advanced system available.

#### FEATURES

- No cord or foot pedal
- Small, lightweight and comfortable
- Five torque settings
- Nine speed options available from 125 to 625 rpm
- Auto-reverse
- Quick-charge battery

Endotouch TC 110v	815-9122
Endotouch TC 220v	815-9123

16:1 Contra-Angle Replacement Handpiece 815-9125



16:1 Contra-Angle Replacement Handpiece 815-9124



### M4 SAFETY® HANDPIECE

SybronEndo's M4 Safety Handpiece has several features designed to aid the endodontic practitioner in efficiently and effectively performing root canal therapy. The watch-winding, oscillating movement of the M4 Safety Handpiece keeps the instrument "floating" in the canal. The operator controls coronal and apical pressure, while the M4 smoothly and efficiently "glides" the endo instrument through the canal. That's the "Safety" in the M4 Handpiece.

M4 Safety Handpiece E-Type	25846
----------------------------	-------

*The M4 handpiece is an invaluable aid in creating a smooth glide path to the foramen. I use it with hand files #6 (when needed), #8, #10 and #15 on just about every molar tooth that I treat. With reciprocation, file breakage is not a concern. This handpiece will deliver predictable and reproducible results.*

— Dr. Fred Barnett

### TCM ENDO III

The microprocessor-controlled Nouvag TCM Endo III is a slow-speed, electric torque-control motor capable of achieving fast and easy root canal preparation. Speed and maximum torque levels are preselectable and constantly controlled by the TCM Endo III control unit. Speed is constant until the adjusted torque limit is reached, then the motor will reverse for two revolutions and return to the forward direction to finish root canal preparation. The TCM Endo III is compatible with the K3 Rotary System.

TCM Endo III, 110v	815-9113
TCM Endo III, 220v	815-9114
TCM Endo III, 220v Great Britain	815-9115
TCM Endo III Electric Motor Only	815-9116
TCM Endo III Foot Pedal	815-9117
Shaping Block (5/pk)	815-9021





AXXESS HANDPIECES


SybronEndo handpieces have long been clinician favorites, are compatible with all manufacturers’ e-type couplings and are ideal for K3, Quantec and other rotary files.

The Axxess handpiece provides 5mm of additional clearance (when used with Axxess files such as K3) to ease work in tight posterior regions and will also accept standard rotary files. The 18:1 handpiece is perfect for rotary NiTi use and is available with a variety of heads.

18:1 Axxess Spring-Head Handpiece	815-9016
18:1 Axxess Latch-Head Handpiece	815-9010
18:1 Axxess Push-Button-Head Handpiece	815-9008
18:1 Replacement Axxess Spring Head	815-9081




18:1 REPLACEMENT AXXESS SPRING-HEAD 815-9016




1:1 HANDPIECE

SybronEndo's full-size latch-type handpiece sets the standard for rotary NiTi instrumentation and have long been clinician favorites. Our Mini-Spring Head 1:1 Handpiece is ideal for use with the MicroSeal system.

1:1 Mini-Spring Head	815-9088
Replacement Axxess Spring Head	815-9081



REPLACEMENT AXXESS SPRING-HEAD 815-9081



TORQUE LIMITING HANDPIECES

The new Niti Control handpiece is designed for use with air driven motors. With a gear reduction of 64:1 the mini head Niti Control handpiece also offers multiple torque limits for rotary instrumentation. The Niti Control handpiece can be used with most latch type rotary files on most standard air driven motors.

64:1 Niti Control Handpiece	815-9131
-----------------------------	----------



Not available in all countries.





Size	21mm	25mm	30mm
Pkg of 6			
08	25927	25943	25959
10	25928	25944	25960
15	25929	25945	25961
20	25930	25946	25962
25	25931	25947	25963
30	25932	25948	25964
35	25933	25949	25965
40	25935	25951	25967
45	25936	25952	25968
50	25937	25953	25969
55	25938	25954	25970
60	25939	25955	25971
70	25940	25956	25972
80	25941	25957	25973
15-40 Assorted	821-3021	821-3025	821-3030
45-80 Assorted	821-3121	821-3125	821-3130

TRIPLE-FLEX® FILES

Triple-Flex Files are triangular-bladed, stainless steel instruments designed for flexibility with integrity. The twisted flutes allow aggressive cutting and debris removal you demand without sacrificing the instrument’s inherent stability. Unlike round blades that have flutes ground in, Triple-Flex Files are highly breakage-resistant, even in the most stressful situations. For performance and value you can depend on, Triple-Flex Files are the preferred choice.

Size	21mm	25mm	30mm
Pkg of 6			
08	14127	14128	14129
10	06003	06062	06151
15	06004	06063	06152
20	06005	06064	06153
25	06014	06065	06155
30	06015	06066	06156
35	06016	06067	06157
40	06019	06069	06159
45	06020	06074	06160
50	06021	06075	06161
55	06022	06076	06162
60	06023	06077	06163
70	06024	06085	06166
80	06026	06099	06170
15-40 Assorted	821-8021	821-8025	821-8030
45-80 Assorted	821-8121	821-8125	821-8130



K-FILES

K-Files are produced to give the operator a smooth tactile sense inside the canal during instrumentation.



Size	21mm	25mm	30mm
Pkg of 6			
15	12766	11344	12814
20	12769	11345	12817
25	12772	11346	12820
30	12775	11347	12823
35	12778	11348	12826
40	12781	11349	12829
45	12784	11350	12832
50	12787	11351	12835
55	12790	11352	12838
60	12793	11353	12841
70	12796	11354	13278
15-40 Assorted	12809	11359	13291
45-80 Assorted	12810	11360	13292

HEDSTROM FILES

Hedstrom Files are ground from stainless steel wire. The flute depth increases with the taper, creating a sharper, more flexible instrument.

K-FLEX® FILES

K-Flex Files (shown above) feature a unique rhomboid design, which provides a short axis for flexibility while maintaining cross-sectional strength. K-Flex is more flexible than conventional files of comparable size, particularly in sizes #30 and above, which facilitates the negotiation of curved canals and their preparation with minimal potential for ledging and perforating.



K-FLEX® FILES



TRIPLE-FLEX® FILES



K-FILES



HEDSTROM FILES




REAMERS





REAMERS

Reamers are made from stainless steel wire that is ground to a triangular shape and twisted.




Size	21mm	25mm
Pkg of 6		
08	14133	14134
10	06029	06110
15	06030	06111
20	06031	06112
25	06032	06120
30	06033	06126
35	06034	06127
40	06038	06131
45	06040	06132
15-40 Assorted	821-2021	821-2025

PATHFINDER™

Stainless steel Pathfinder instruments feature a minimal taper and are used for negotiating difficult or calcified canals.

Pkg of 6	
21mm	17023
25mm	17017



PATHFINDER™ CS

Pathfinder CS instruments feature the same minimal taper as stainless steel Pathfinders but are made with carbon steel to help negotiate difficult or calcified canals faster and more efficiently.

Pkg of 6				
SIZE	HANDLE	19mm	21mm	25mm
K1	Dark Brown	22935	22936	23465
K2	Orange	22937	22938	23467



FREQUENT FILER PROGRAM

As a reward for your *loyalty*, you will accrue points for all of your file purchases. These points can then be redeemed in one of two ways – redeem points toward **cash back** or, if you prefer, have the points turned into a **valuable credit on your SybronEndo account**.

Either way, you can file your way to exciting rewards. To learn more details about the Frequent Filer Program, contact your SybronEndo or dealer representative and ***sign up today!***

Program available only in the USA.



BARBED BROACHES


Barbed Broaches are 21mm in length and come presterilized.

Pkg of 30		
SIZE		
XXXF		17008
XXF		17009
XF		17010
F		17011
M		17012
C		17013
Assorted Package (10 each: XXXF, XXF, XF)		17014
Assorted Package (10 each: F, M, C)		17015

GATES GLIDDEN

Gates Glidden instruments are used primarily for shaping the coronal third of the root canal.

Pkg of 6 / 18mm	
No. 1	17283
No. 2	17284
No. 3	17285
No. 4	17286
No. 5	17287
No. 6	17288
No. 1-6 Assorted	17289





## C L E A N

SybronEndo has the products you need to effectively lubricate and irrigate your canals. From lubrication with SlickGel ES to the most effective irrigation available using SmearClear, SybronEndo “Solutions” get the job done.

SMEARCLEAR	30
SLICKGEL ES	30
PAPER POINTS	31
STROPKO IRRIGATOR AND ACCESSORIES	31


NEW >

# clean


SEE OUR NEW SLICKGEL > PAGE 30.




More efficient files and shaping techniques call for more effective irrigants. SmearClear enhanced EDTA and Canal Clear <6% enhanced Sodium Hypochlorite are made for the new generation of filing techniques.



5.25% NaOCl



17% EDTA



SmearClear

Photos (200x) show decimal tubules after instrumentation, a NaOCl soak and further one-minute soak in the respective irrigant. Photos and study courtesy of Drs. J. Jantarat, K. Yanpiset and C. Harnirattisai.



**SMEARCLEAR™**

Successful endodontic therapy demands a clean and clear root canal system. SmearClear's enhanced EDTA formulation addresses this issue by consistently removing the smear layer and leaving the dentinal tubules clear of organic matter. The practitioner will recognize an increase in the efficacy of adhesives as well as an assist in the 3-dimensional obturation of the root canal system.

SmearClear Kit	973-1001
SmearClear Liquid Refill	973-1002
Syringe (3) and Side-Vented Needle (30) Refill	973-1003



**SLICKGEL™ ES**

SlickGel™ ES is specially formulated to aid in the negotiation of root canals by endodontic instruments. Each MicroDose® polytube contains EDTA that chelates calcifications in the root canal system. Sodium hypochlorite irrigants react with SlickGel ES's urea peroxide to produce vigorous bubbling action that helps flush debris from the root canal system.

SlickGel ES pack	973-1015
12 MicroDose polytubes (1ml ea)	

**PAPER POINTS**

Autofit® Paper Points are rolled to exact specifications and provide excellent absorbency for your root canal preparation.

Developed by Dr. L. Stephen Buchanan, Autofit Paper Points are an integral part of the Autofit system. Various sized tapers are color-coded for easy ID and will fit perfectly into Greater Taper preparations.

**Greater Taper Paper Points**

(pkg of 100)	
Assorted	972-0110
Size .04	972-0111
Size .06	972-0112
Size .08	972-0113
Size .10	972-0114
Size .12	972-0115

**ISO/MicroSeal Paper Points**

(pkg of 100)	
.25mm tip .02 taper	815-9001
.25mm tip .04 taper	815-9002



**STROPKO IRRIGATOR™**

The Stropko Irrigator places the perfect amount of air and water pressure into the field. Its small, luer-lock tips do not impede visibility during irrigation or drying and are excellent for use under the microscope. Fits most Triplex air/water syringes.

Stropko Irrigator	975-0039
Stropko Blue Irrigation Tips	975-0120

**ADAPTER**

Most units accommodate the Stropko without the use of an adapter. For old Adec units or Triplex syringes, an adapter may be needed to accommodate the Stropko. The adapter will modify a female-type syringe head into a male screw-type syringe. The thread measurements on the adapter are 5/16 – 32.

Adapter	975-0040
---------	----------



TWISTED FILES

TF Paper Points (presterilized) have been made specifically for use with the TF Rotary NiTi Files.

**TF PAPER POINTS**

Taper	
.04	822-0004
.06	822-0006
.08	822-0008
.10	822-0001
.12	822-0002
Assorted .04-.12	822-0000



SybronEndo is unquestionably the leader in warm gutta percha obturation. Our Elements Obturation System sets the industry standard. From our new line of TF gutta percha and paper points to Real Seal’s new RealSeal SE sealer, SybronEndo continues its practice of providing *superior fills* for your endodontic practice.

OBTURATION

ELEMENTS OBTURATION UNIT	34	NEW >	TF GUTTA PERCHA	41
BUCHANAN HEAT PLUGGERS	36		PAPER POINTS	41
NEW > BUCHANAN HAND PLUGGERS	36	NEW >	TF PAPER POINTS	41
BUCHANAN HEAT PLUGGER TIP STAND	36		TOUCH 'N HEAT 5004 AND ACCESSORIES	43
SYSTEM B HEAT SOURCE AND ACCESSORIES	37		ABSORBENT POINTS	44
REALSEAL	39		FINGER PLUGGERS AND SPREADERS	44
NEW > REALSEAL SE	39		SEALERS	45
TIP SNIP	40	NEW >	XPRESS SEALERS	45
GUTTA PERCHA	40		OBTURA AND ACCESSORIES	46
			MICROSEAL ACCESSORIES	47

The Elements Obturation Unit for superior fills.

*If you do warm lateral vertical, or continuous wave condensation or full-length syringe filling of canals, the Elements Obturation Unit is the most sophisticated filling device available in the world of endodontics today.*

*– L. Stephen Buchanan, DDS, FICD, FACD*

obturation

SEE OUR NEW TF GUTTA PERCHA AND TF PAPERPOINTS > PAGE 41.





# Efficient. Predictable. Accurate. And it's so simple.


## CONVENIENT CARTRIDGE DELIVERY

Proprietary disposable cartridges (gutta percha or RealSeal) minimize cross contamination risk and eliminate tedious, time-consuming cleanup. Made of silver for excellent heat conductivity, they load and disengage easily.




## ELEMENTS OBTURATION UNIT™

The Elements Obturation Unit combines our **System B™** technology with a motor-driven extruder handpiece to make obturation **efficient, predictable, and accurate. From downpack to backfill, the Elements Obturation Unit puts the Continuous Wave of Condensation Technique into one simple-to-operate device that takes up only 1/3 the space of two separate machines.**



### SYSTEM B PLUGGER MAXIMIZES CONDENSATION FORCE FOR COMPLETE FILL

Matched Autofit pluggers replicate the canal shape and maximize condensation forces to move fill material and sealer into all areas of the root canal, including lateral canals, which ensures a complete fill.



### .04 TAPER WITH SMALLER TIP IMPROVES FILLING

The .04 taper plugger is 40% smaller which allows access into even the smallest canals. The .04 plugger fits both the original System B and the Elements Obturation Unit.

## FEATURES AND BENEFITS

### System B

- One-touch controls for downpack, backfill and hot pulp testing
- Each function has preset temperature and duration
- Tip temperature is continuously maintained and displayed
- Time-out feature prevents overheating
- Automatic shut-off precludes using wrong or worn-out tip
- Plugger heats instantly for immediate use

### Extruder

- Motorized handpiece eliminates hand fatigue and precludes voids
- Pencil-grip handpiece enhances control and fits standard handpiece holders
- Precise temperature control for consistency
- Extra-long prebent needles offer convenience and unprecedented visibility
- Heats quickly and shuts off automatically
- Handpiece shows remaining material

### Handpieces


- Plugger and extruder handpieces are lightweight, strong and durable
- Insulation technology keeps handpieces cool for you and the patient
- Aluminum shields minimize downtime – use one while autoclaving the other

## ELEMENTS OBTURATION UNIT AND PARTS

Obturation Unit	973-0322
Obturation Unit (w/o Handpieces)	973-0325
Extruder Handpiece (w/ 2 Shields)	973-0326
System B Handpiece (w/ 2 Shields)	973-0327
Extruder Handpiece Shield (pkg of 2)	973-0331
System B Handpiece Shield (pkg of 2)	973-0332
Power Supply (Transformer)	973-0333
AC Power Cord, US	973-0334
AC Power Cord, Europe	973-0335
AC Power Cord, UK	973-0336


Gutta Percha	
Gauge 20 (medium body)	972-1001
Gauge 20 (heavy body)	972-1004
Gauge 23 (medium body)	972-1002
Gauge 23 (heavy body)	972-1005
Gauge 25 (light body)	972-1003

ELEMENTS OBTURATION CARTRIDGES (BOX OF 10)	
RealSeal	
Gauge 20	972-2001
Gauge 23	972-2002



**SILICONE BOOTS**  
System B Handpiece (pkg of 2) 973-0330  
Extruder Handpiece (pkg of 2) 973-0329

**NEEDLE BENDING TOOL** 973-0337






BUCHANAN HEAT PLUGGERS

Available individually or in a prepackaged kit of five, the Buchanan Heat Pluggers have revolutionized warm gutta percha techniques. These high-quality pluggers have a shape that closely matches the final root canal preparation. This maximizes condensation forces on the softened gutta percha without placing undue stress on the root canal system. Because the Elements Obturation Unit and the System B Heat Source provide an exact temperature throughout the procedure, the Buchanan Pluggers do not over-soften the gutta percha, and the warm mass fills lateral canals as easy as it seals apically. When you disengage the heat, the pluggers cool almost instantly and separate easily from the condensed gutta percha.

Buchanan Pluggers (pkg of 5)	952-0003
Individual Pluggers (shown below top to bottom)	
Medium-Large Buchanan Plugger, .12 Taper	952-0007
Medium Buchanan Plugger, .10 Taper	952-0006
Fine-Medium Buchanan Plugger, .08 Taper	952-0005
Fine Buchanan Plugger, .06 Taper	952-0004
Extra-Fine Buchanan Plugger, .04 Taper	952-0031



BUCHANAN HEAT PLUGGER TIP STAND

Already a user-friendly, aesthetic, and secure organizer for your Buchanan Heat Pluggers, just flip down the stand and you're ready to autoclave. Holds up to six pluggers.

Buchanan Heat Plugger Tip Stand	952-0017
---------------------------------	----------



BUCHANAN HAND PLUGGERS

Featuring both a tapered nickel-titanium end and a stainless steel end, Buchanan Hand Pluggers can be used in any common obturation technique, including warm and cold condensation. The pluggers are also ideal for backfilling canals. Use the NiTi end for finishing off condensation procedures in even the most radically curved canals. Either end condenses and controls the movement of gutta percha under pressure. In addition, the Buchanan Hand Pluggers are fabricated of the highest grade materials for excellent durability and sterilization.

Buchanan Hand Plugger, Size #1	974-0058
Buchanan Hand Plugger, Size #2	974-0059



SYSTEM B™ HEAT SOURCE

SybronEndo is the industry leader in endodontic heat carriers. The System B Heat Source provides clinicians with unequalled convenience, reliability, and accuracy. It allows you to dial in the exact temperature setting, which it maintains throughout the procedure. Simply set the temperature, and within 12 seconds, you have a superior apical seal and post space in a single motion. Backfill is just as easy. A sturdy cast-aluminum enclosure with carrying handle makes it easy to carry and place the System B wherever you want. The handpiece and cord assembly may be disconnected and autoclaved. With SybronEndo's rechargeable battery and charge adapter, you will get at least one hour of continuous operation. The System B also accepts SybronEndo's Touch 'n Heat tips.

System B Heat Source, 110v	952-0001
System B Heat Source, 220v	952-0002

SYSTEM B ACCESSORIES


System B Charge Adapter, 110v*	973-0222
System B Charge Adapter, 220v*	973-0223
Handpiece Assembly for System B	952-0008
Pinwise Nut with Contact Spring*	973-0224
Small Pinwise Nut Only*	973-0245
Plastic Practice Blocks for System B	952-0024
Contact Clip (pkg of 2)*	951-0008

\*Also used with Touch n' Heat.

*The System B Heat Source drives the Continuous Wave Pluggers through root canal systems in less than four seconds, optimizing the hydraulic movement of sealer and gutta percha. This Centered Condensation Technique combines the apical accuracy of cone-fit techniques with the optimized 3D capabilities of warm gutta percha obturation, fewer instruments and without the challenge of creating post spaces.*

— L. Stephen Buchanan, DDS, FICD, FACD







Proven leak-resistance.

Source: G. Shipper, D. Orstavik, F.B. Teixeira, and M. Trope. Journal of Endodontics (in press).

A SUPERIOR SEAL DRAMATICALLY REDUCES LEAKAGE



Traditional gutta percha shows fissures and gaps between its surface and the dentin – just the place for harmful bacteria to multiply.



RealSeal (Resilon™) fills seamlessly and smoothly, eliminating leakage.

REALSEAL™

RealSeal is an endodontic filling material with the familiar handling of gutta percha and the added vital benefits of a superior seal. Because RealSeal is applied in the same way as gutta percha, adapting it to your current system is as seamless as the seal it creates. Use the obturation technique of your choice, adding only a priming step before filling.

Why do we call it RealSeal? Because it is the endodontic filling material that provides a REAL seal. And Resilon™\*, the primary component of RealSeal, has also been proven to be biocompatible, nontoxic and nonmutagenic.<sup>1</sup>

RealSeal is:


- **Leak-Resistant.** Unlike gutta percha, RealSeal leaves no gap for leakage. Coronal and apical leakage is substantially reduced.
- **Strengthening.** Gives the root significant toughness.
- **Technique-Compatible.** Works with your current filling method.
- **Retreatable.** With chloroform and/or heat. Like Grossman's formula, retreatments are easy.
- **Radiopaque.** Just like your current method of obturation, detection is not a problem.

\* Resilon is a trademark of Resilon Research, LLC.

<sup>1</sup> Loma Linda University Biocompatibility and Toxicology Research Laboratory, Evaluation of Cytotoxicity of Resilon and its Extracts Using the Agar Diffusion Method. Conclusion: Resilon is non cytotoxic using the agar diffusion method.


*RealSeal brings endodontics into the age of adhesive dentistry. Re-infection can be minimized when we prevent bacterial recolonization and entomb remaining micro-organisms by creating a complete seal of the entire length of the root canal system. RealSeal has the potential to seal the entire root canal space from orifice to apex, something not accomplished by gutta percha.*

*– Joseph D. Maggio, DDS, Chicago, Illinois*




HOW REALSEAL WORKS

Based on polymers of polyester, RealSeal contains bioactive glass, Ca(OH)<sub>2</sub>, and radiopaque filler. The RealSeal filling material forms what is called a “mono-block” between the canal wall, sealer, and RealSeal cone. This is what gives you a seamless seal and true root strengthening.



Now, RealSeal SE provides the same performance without the need of a primer.



RealSeal resin tags. No other sealer can offer this kind of bonding.

RealSeal Kits

All kits contain: Root Canal Sealant (with 12 mixers), 3 ml Thinning Resin, 6 ml Primer, Mixing Wells (25) and Applicator Brushes (25)

972-2100	Intro Kit
	.04 Taper #15 – #40 (20/per size)
	.06 Taper #15 – #40 (20/per size)
972-2102	.02 Taper Kit
	.02 Taper #15 – #40 (20/per size)
	Accessory Points (20/per size)

RealSeal Refills

972-2004	Pellets (pk 100)
972-2010	Root Canal Sealant (with 12 mixers)
972-2006	3 ml Thinning Resin
972-2007	6 ml Primer
972-2008	Mixing Wells (25)

Accessory Points (6 vials of 20)

972-2301	XF (X-Fine)
972-2302	FF (Fine-Fine)
972-2303	MF (Medium-Fine)
972-2304	F (Fine)
972-2305	FM (Fine-Medium)
972-2306	M (Medium)
972-2307	L (Large)
972-2310	Assorted (XF-FF-MF-F-FM-M)

Autofit Points (box of 50)

972-2311	.04 Taper
972-2312	.06 Taper
972-2313	.08 Taper
972-2314	.10 Taper
972-2315	.12L Taper (1.35 mm max dia)
972-2316	.12S Taper
972-2320	Assorted Pack Taper (.06 – .12 Taper)

.02 Taper Points (box of 100)

972-2220	Size #20
972-2225	Size #25
972-2230	Size #30
972-2235	Size #35
972-2240	Size #40
972-2245	Size #45
972-2250	Size #50
972-2255	Size #55
972-2260	Size #60
972-2270	Size #70
972-2280	Size #80
972-2201	Assorted Sizes #15 – #40
972-2202	Assorted Sizes #45 – #80
972-2203	Assorted Sizes #90 – #140

.04 Taper Points (box of 50)

972-2420	Size #20
972-2425	Size #25
972-2430	Size #30
972-2435	Size #35
972-2440	Size #40
972-2445	Size #45
972-2401	Assorted Sizes #15 – #40

.06 Taper Points (box of 50)

972-2620	Size #20
972-2625	Size #25
972-2630	Size #30
972-2635	Size #35
972-2640	Size #40
972-2645	Size #45
972-2601	Assorted Sizes #15 – #40

Autofit Backfill Points (box of 60)

972-2321	F (Fine)
972-2322	FM (Fine-Medium)
972-2323	M (Medium)
972-2324	ML (Medium-Large)

RealSeal SE Self-Etch Sealer

972-0607	Intro Kit
	.04 Assorted points (20/per size)
	.06 Assorted points (20/per size)
972-2012	RealSeal SE Self-Etch Sealer
972-2011	Mixing tip refill (12)







**TIP SNIP™**

Using a measurement dial, the Tip Snip flush cuts gutta percha to the apex size you need.

**Tip Snip** 815-9042



GUTTA PERCHA

SybronEndo’s radiopaque gutta percha is the time-proven fill for your root canal therapies.

AUTOFIT® GREATER TAPER GUTTA PERCHA

Developed by Dr. L. Stephen Buchanan, Autofit gutta percha is the latest innovation in filling materials. Greater Taper cones are designed to match canals shaped with Greater Taper files. Autofit cones have a parallel shank that is tapered to a point (similar to the end of a pencil).

GREATER TAPER – 50 CONES PER BOX


Taper

Assorted .06-.12	972-0100
.04	972-0101
.06	972-0102
.08	972-0103
.10	972-0104
.12 (.98mm max. diameter)	972-0107
.12L (1.35mm max. diameter)	972-0105

OBTURA PELLETS

Box of 100 972-0008

Limited European distribution.



AUTOFIT BACKFILL GUTTA PERCHA

Autofit Backfill gutta percha cone sizes directly correspond with the sizes of the Buchanan Heat Pluggers. Once the initial down-pack is complete, backfill cones perfectly fill the plugger void. Tip diameter for the pluggers and backfill cones is .5mm, so there is no need to “snip” them. Backfill cones have a nonstandard, continuous taper and are shorter than typical gutta percha.

60 CONES PER BOX	
Backfill Fine	972-0020
Backfill Fine-Medium	972-0021
Backfill Medium	972-0022
Backfill Medium-Large	972-0023

AUTOFIT FEATHERED TIP GUTTA PERCHA (NONSTANDARD)

Nonstandard gutta percha cones exhibit a larger, continuous taper all the way up the cone than does ISO gutta percha. These cones are feathered tipped and perform well with the Touch ‘n Heat and System B.

100 CONES PER BOX	
Fine-Fine	952-0010
Medium-Fine	952-0011
Fine	952-0012
Fine-Medium	952-0013
Medium	952-0014
Medium-Large	952-0015
Large	952-0016



TF Gutta Percha and Paper Points (presterilized) have been made specifically for use with the TF Rotary NiTi Files.

TF GUTTA PERCHA

Taper	Tip	
.04	25	822-0425
.06	25	822-0625
.08	25	822-0825
.10	25	822-1025
.12	25	822-1225
Assorted .04-.12	25	822-0010

TF PAPER POINTS

Taper	
.04	822-0004
.06	822-0006
.08	822-0008
.10	822-0001
.12	822-0002
Assorted .04-.12	822-0000



K3 GUTTA PERCHA

Taper	Tip	
.04	20	825-0420
.04	25	825-0425
.04	30	825-0430
.04	35	825-0435
.04	40	825-0440
.04	45	825-0445
.04	20-40 Assorted	825-0400
.04	Feather Tip	825-0047
.06	20	825-0620
.06	25	825-0625
.06	30	825-0630
.06	35	825-0635
.06	40	825-0640
.06	45	825-0645
.06	20-40 Assorted	825-0600
.06	Feather Tip	825-0048

PAPER POINTS

SybronEndo Paper Points are rolled to exact specifications and provide excellent absorbancy for your root canal preparation.

Developed by Dr. L. Stephen Buchanan, Autofit Paper Points are an integral part of the Autofit system. Various sized tapers are color-coded for easy ID and will fit perfectly into Greater Taper preparations.

GREATER TAPER PAPER POINTS

PKG OF 100

Taper	
Assorted	972-0110
.04	972-0111
.06	972-0112
.08	972-0113
.10	972-0114
.12	972-0115

MICROSEAL ISO PAPER POINTS

PKG OF 100

Taper	Tip	
.02	25	815-9001
.04	25	815-9002

ISO STANDARD TIP SIZED GUTTA PERCHA

ISO standard gutta percha directly matches the ISO standard-sized files, meaning the taper is 2% or .02 taper all the way up the gutta percha cone. ISO gutta percha is ideal for MicroSeal or cold lateral condensation.

MICROSEAL MASTER CONE – EACH SIZE 50 PER BOX

Taper	Tip	
.02	25	815-9032
.02	30	815-9034
.02	35	815-9035
.02	40	815-9036
.02	45	815-9037
.02	50	815-9038
.02	55	815-9039
.02	60	815-9040
.04	25	815-9033



TAPERED GUTTA PERCHA

Tapered Gutta Percha Points are readily softened by heat and flexible enough to be easily inserted into the canal.

TAPERED SIZES	Box of 100	6 Vials of 20
Xtra-Fine (XF)	12643	14376
Fine-Fine (FF)	13985	14377
Medium-Fine (MF)	13986	14378
Fine (F)	12644	14375
Fine-Medium (FM)	13987	14379
Medium (M)	12645	14380
Large (L)	12646	14381
Assorted Pack (XF, FF, MF, F, FM, M)	12647	14374

STANDARDIZED GUTTA PERCHA

Standardized Gutta Percha Points are sized to correspond to the dimensions of SybronEndo standardized endodontic instruments. They are readily softened by heat and flexible to be easily inserted into the canal.

STANDARDIZED SIZES	Box of 100	6 Vials of 20
No. 15	12648	14382
No. 20	12649	14383
No. 25	12650	14384
No. 30	12651	14385
No. 35	12652	14386
No. 40	12653	14387
No. 45	12654	14388
No. 50	12655	14389
No. 55	12656	14390
No. 60	12657	14391
No. 70	12658	14392
No. 80	12659	14393
No. 15-40 Assorted		14451
No. 45-80 Assorted		14452
No. 90-140 Assorted		14453



TOUCH 'n HEAT™ 5004


Designed by Dr. Herb Schilder, the Touch 'n Heat conveniently and consistently puts the heat on for warm gutta percha techniques. The patented autoclavable tips are internally heated so that the heat is concentrated at the end where it's needed most. Not only do you have a precisely heated tip to work with, you also can control it's temperature. Say "goodbye" to old Bunsen burners and step up to the Touch 'n Heat today.

Touch 'n Heat 5004, 110v	973-0212
Touch 'n Heat 5004, 220v	973-0213
Pinvise Nut with Contact Spring*	973-0224
Small Pinvise Nut Only*	973-0245
Charge Adapter, 110 V*	973-0222
Charge Adapter, 220 V*	973-0223
Contact Clip (pkg of 2)*	951-0008

\*Also used with System B.

HEAT CARRIERS AND TIPS


Standard Anterior Heat Carrier	973-0214
Standard Posterior Heat Carrier	973-0215
Narrow Anterior Heat Carrier	973-0216
Narrow Posterior Heat Carrier	973-0217



Hot Pulp Test Tip	973-0219
-------------------	----------



Spoon Tip	973-0218
Plugger, Thick Tip (1mm)	973-0220
Plugger, Thin Tip (.5mm)	973-0221







ABSORBENT POINTS

SybronEndo Absorbent Points are presterilized and highly absorbent. They are made to remove moisture from prepared canals and are rigid enough to be easily inserted and withdrawn while keeping a firmly rolled shape. SybronEndo Absorbent Points are sized to correspond with the dimensions of SybronEndo standardized endodontic instruments.

AUXILIARY SIZES	Box of 200	Cell Pack of 200
XX-Fine (XXF)		16215
X-Fine (XF)	13966	16216
Fine (F)	13967	16217
Medium (M)	13968	16218
Course (C)	13969	16219
X-Course (XC)	13970	16220
Assorted (XF, F, M, C)	13965	
Assorted (XF, F, M, C, XC)		16221

STANDARD SIZES	Box of 200	Cell Pack of 180
No. 15	13971	16222
No. 20	13972	16223
No. 25	13973	16224
No. 30	13974	16225
No. 35	13975	16226
No. 40	13976	16227
No. 45	13977	16228
No. 50	13978	16229
No. 55	13979	16230
No. 60	13980	16231
No. 70	13981	16232
No. 80	13982	16233

FINGER PLUGGERS

Standardized sizes with ISO taper were designed for vertical condensation.

STRETCH "B" HANDLE (pkg of 6)			
SIZE	21mm	25mm	HANDLE
20	15733	15740	Yellow
25	15734	15741	Red
30	15735	15742	Blue
35	15736	15743	Green
40	15737	15744	Black
45	15738	15745	White
20-45 Assorted	15739	15746	

FINGER SPREADERS

Tapered sizes are matched to SybronEndo Gutta Percha Points. Designed for lateral condensation.

STRETCH "B" HANDLE (pkg of 6)			
SIZE	21mm	25mm	HANDLE
XF	15719	15726	White
FF	15720	15727	Yellow
MF	15721	15728	Red
F	15722	15729	Blue
FM	15723	15730	Green
M	15724	15731	Black
XF-M Assorted	15725	15732	



XPRESS SEALERS

Three of SybronEndo's classic sealers now boast a new delivery method to help simplify setup, delivery and cleanup. TubliSeal, TubliSeal EWT and Sealapex are now available in automix syringes. These syringes offer easy mixing at your fingertips in a perfect 1:1 ratio without worry and without manual mixing. This innovative delivery adds efficiency, convenience and simplicity to a line of sealers that is already steadfast and dependable.

Sealapex Xpress (2 – 10.5g syringes)	33639
Tubli-Seal Xpress (2 – 10.7g syringes)	33640
Tubli-Seal EWT Xpress (2 – 10.8g syringes)	33641
50 mixing tips	33680



TUBLI-SEAL™

Tubli-Seal is a paste/paste zinc oxide eugenol root canal sealer. Tubli-Seal is light in color, nondarkening and radiopaque.

Tubli-Seal	00340
Bulk package contains:	01081
• 24 sets of base and accelerator	
• 6 mixing pads	
Mixing pads	28366



SEALAPEX®

Sealapex is the original non-eugenol, calcium hydroxide polymeric root canal sealer. This formulation produces rapid healing and hard tissue formation.

Sealapex	18432
Bulk package contains:	18598
• 24 sets of base and accelerator	
• 6 mixing pads	

TUBLI-SEAL EWT

Tubli-Seal EWT offers all of the benefits of Tubli-Seal with the added benefit of a longer working time.

Tubli-Seal EWT	25903
----------------	-------



PULP CANAL SEALER™ EWT

Pulp Canal Sealer EWT has the same physical properties of Pulp Canal Sealer and features a work time of greater than 6 hours on the pad.

Pulp Canal Sealer EWT	24746
Case Lot Powder Refill	24745
Case Lot Liquid Refill	24873



PULP CANAL SEALER

Pulp Canal Sealer is a zinc oxide eugenol sealer that has a powder base and liquid catalyst. It is a nontoxic and non-irritating formulation that is very radiopaque and has a long history of clinical success.

Pulp Canal Sealer	24875
Case Lot Powder Refill	24874
Case Lot Liquid Refill	24873






OBTURA

Obtura III*	972-0001
20-Gauge Needles (pkg of 6)	972-0004
23-Gauge Needles (pkg of 6)	972-0005
Obtura Pellets (pkg of 100)*	972-0008
Cleaning Brushes	972-0006
Needle Bending Tool	972-0007
Needle Lock Nuts (pkg of 2)	972-0009
Cleaning Solution	972-0012
Thermal Protectors	972-0013

\*Limited European distribution.




MICROSEAL® CONDENSERS

The engine-driven nickel-titanium condensers have a reverse-helix design that simultaneously introduces and condenses gutta percha into the intricacies of the canal system

MICROSEAL CONDENSERS, .02 (pkg of 5)			
25/21mm	815-7101	25/25mm	815-7501
30/21mm	815-7102	30/25mm	815-7502
35/21mm	815-7103	35/25mm	815-7503
60/21mm	815-7104	60/25mm	815-7504

PACMAC™ CONDENSERS, .04 (pkg of 5)			
25/21mm	815-7131	25/25mm	815-7531
45/21mm	815-7132	45/25mm	815-7532
55/21mm	815-7133	55/25mm	815-7533
Asstd 21mm	815-7221	Asstd 25mm	815-7225



OBTURATION CONTRA-ANGLE

Mini-Spring Head 1:1	815-9088
Full-Size Swing Latch 1:1	815-9009

MICROFLOW™ SYRINGE

Autoclavable heavy-duty metal construction with large finger supports for easy extrusion of Microflow Cartridges.

Microflow Syringe	815-9047
-------------------	----------

MICROFLOW CARTRIDGES

Prefilled with ultra-low-fusing gutta percha, Microflow Cartridges allow for even heat distribution and provide consistent, reliable results. Microflow is designed to unify with master cone to form one, homogenous mass of gutta percha. Its tacky consistency allows for thorough adhesion to canal walls.

Microflow Cartridges (pkg of 10)	815-9045
----------------------------------	----------

NOUVAG TCM ENDO III

TCM Endo III, 110v	815-9113
TCM Endo III, 220v	815-9114



*MicroSeal, unique as an obturation system, has the ability of sealing canals independent of shape and taper. It is very expeditious and effective in obturating the intricacies of the canal system when used by itself or in enhancing other obturation techniques.*

— Dr. John T. McSpadden

MICROSEAL® SPREADERS

Nickel-titanium finger or engine spreaders enable even distribution of condensation forces against the master cone, even around curvatures.

ENGINE SPREADERS (pkg of 5)		FINGER SPREADERS (pkg of 5)	
20/.02 21mm	815-6102	20/.02 21mm	815-6122
25/.02 21mm	815-6103	25/.02 21mm	815-6123
25/.04 21mm	815-6101	25/.04 21mm	815-6121
Asstd 21mm	815-6201	Asstd 21mm	815-6221
20/.02 25mm	815-6502	20/.02 25mm	815-6522
25/.02 25mm	815-6503	25/.02 25mm	815-6523
25/.04 25mm	815-6501	25/.04 25mm	815-6521
Asstd 25mm	815-6205	Asstd 25mm	815-6225



ENGINE SPREADER FINGER SPREADER




Whether performing precision microsurgery, troughing around a post or simply agitating sodium hypochlorite within the canal, SybronEndo can satisfy your ultrasonic needs. The SybronEndo ultrasonic line has what you need to get the job done.

ULTRASONICS

NEW >	ELEMENTS ULTRASONIC ENDO SCALER	50
NEW >	REDSTAR TIPS	51
	MINIENDO II	52
	SPREADER TIPS	52
	THE "4" SERIES	52
	BUC TIPS	53
	CPR TIPS	53
	SPECIALTY TIPS	53
	CT TIPS	54
	UT TIPS	54
	SJ TIPS	54
	BK3 TIPS	54
	DIAMOND-COATED TIPS	55
	KiS TIPS	55

# ultrasonics



SEE OUR NEW ELEMENTS ULTRASONIC ENDO SCALER > PAGE 50.





# Control. Convenience. Comfort.

The Elements Ultrasonic Endo Scaler gives you innovative design and engineering. It delivers just the right amount of power and amplitude at the tip to successfully complete endo, scaling and perio procedures.

**ELEMENTS ULTRASONIC ENDO SCALER**  
Elements Ultrasonic Endo Scaler 973-0180

**THREE CUSTOMIZABLE PROGRAMS**  
The Elements Ultrasonic Endo Scaler features 3 programs that the user can customize. Adjust the unit to your favorite settings and save for easy recall. Create separate programs for endo, scaling and perio work. This unit is designed to be at your command.

**FRONT LOCATION OF WATER ON/OFF SWITCH**  
The Water On/Off Switch is conveniently located on the front of the unit and within easy reach during clinical procedures.

**WATER ADJUSTMENT KNOB**  
Similarly, the water adjustment knob is located on the front of the unit below the Water On/Off Switch. This convenient knob is easy to grip and turn. It allows fine adjustment of the water spray level. Turn counter clockwise to increase the water spray and clockwise to decrease.

**POWER LEVELS 1 TO 15**  
The Elements Ultrasonic Endo Scaler has a wide range of ultrasonic power levels from 1 to 15. This allows the clinician to choose the most appropriate ultrasonic power level to use for treatment. The lower levels provide the clinician with fine ultrasonic output for delicate procedures. Levels 11 to 15 deliver "Random Distortion" and are great for scaling and post removal.



*The Elements Ultrasonic Endo Scaler provides the power and the finesse for managing the many challenges encountered during root canal treatment. It combines simplicity with state-of-the-art ultrasonic technology.*

— Gary Glassman, DDS, FRCD (C), Toronto, Canada

## USER-FRIENDLY INTERFACE


The unit was designed with an intuitive LCD display that provides the clinician with large, easy-to-read icons. These icons communicate ultrasonic activity, power levels and water on/off status.

## HANDPIECE DESIGN

The handpiece can be held from any angle, and its finish provides the clinician with a comfortable, tactile grip.

Spare Handpiece

973-0181



MB2 canal located by the planning motion of the Red Star RS-2 tip.

*From vibrating posts to removing separated instruments and everything in between, RedStar Tips provide powerful yet safe tactile control of ultrasonic energy.*

— Richard Mounce, DDS, Vancouver, Washington



## REDSTAR TIPS

RedStar Tips are innovative in ultrasonics. These tips provide a wide range of functionality and efficiency and are intended for use by both the novice clinician and the expert specialist. Developed in collaboration with Dr. Richard Mounce, these tips are designed with safety in mind first and will enable the clinician to handle various endodontic cases.

### RS-1 Spreader Tip

- Helps remove cement around posts
- Opens calcified canals
- Removes isthmus tissue between canals

RS-1 SPREADER TIP

973-1040



### RS-2 Planing Tip

- Removes pulp stones smoothly and safely from pulp chamber without scoring
- Smooths the axial walls and floor of the pulp chamber
- Shaves thin layers of dentin without cutting too deep

RS-2 SPREADER TIP

973-1041





ULTRASONIC TIP INTRODUCTORY KIT

SybronEndo's Starter Tip Kit is the perfect entry for those starting to recognize the benefits ultrasonics can provide for their office. Each kit contains one: SP-2, Scaler, CT-4 and Diamond-Coated CT-4.

Ultrasonic Tip Introductory Kit 973-1000



THE "4" SERIES™

The "4" series is geared for troughing around posts and opening calcified canals. SybronEndo recommends that the clinician begin at level one and increase according to his personal comfort level.

UT-4	973-0039
SJ-4	973-0041
CT-4	973-0057

MINIENDO II

The MiniEndo II is a sleek, compact ultrasonic unit designed specifically for endodontic applications and to deliver just the right amount of power and amplitude at the tip to successfully complete endodontic procedures.

MiniEndo II Ultrasonic Unit Type S, 110v	973-0236
ACCESSORIES	
Wrench for Ultrasonic Tips	973-0096
MiniEndo Handpiece (M3x.6) Type S	973-0201



SPREADER TIPS

Longer than our "4" series, Spreader Tips are designed for troughing within the canal. Spreader Tips can trough around posts or break open a calcification, but also can be used to help retrieve separated files that are stuck in the apical third of the canal.

SP-1 Small Spreader Tip	973-0063
SP-2 Medium Spreader Tip	973-0065
SP-3 Ultra-Fine Spreader Tip	973-0067



BUC-1	973-0401
BUC-1A	973-0406
BUC-2	973-0402
BUC-2A	973-0403
BUC-3	973-0404
BUC-3A	973-0407
BUC (set of 6 tips)	973-0405

Limited European distribution.

BUC-1 AND BUC-1A

The BUC-1 can be used for gross dentin removal, moving access line angles, cutting a groove in the mesial access wall to drop into MB2 canals, and for quickly and carefully unroofing pulp chambers. Its radiused tip geometry also allows effortless entry into each canal orifice and facilitates the creation of a smoothly troughed surface, which is helpful in finding reclusive MB2s. Use at power level 1-3.

BUC-2 AND BUC-2A

The BUC-2, with its disk-like radiused tip, can be used to smoothly and safely plane attached pulp stones from the pulp chamber floor without scoring it. In molars, it can be used to

horizontally smooth the pulp chamber floor without cutting past it to get to the darker colored dentin. The smaller version BUC-2A has a 1.0mm diameter and can be used for corners of molar access prep and bicuspid access prep.

BUC-3 AND BUC-3A

The BUC-3 is an extremely active instrument with a sharp tip. It is used for chasing canals halfway up a root or for digging around a post or carrier-based obturator to remove it. It has a water port placed near the cutting surface of the tip for increased washing and cooling of the operative site.

SPECIALTY TIPS

AN 973-0071  
Our annealed tip is configured similarly to the straight CT-4 type tip but is not heat treated, so a doctor can bend it to the desired configuration.

ST 973-0074  
Scaler tip used to break away cement or calculus. The ST-1 is similar to the CT-4 except for its curvature for better access in difficult-to-reach areas within the tooth structure.


VT 973-0069  
The vibrator tip is designed to vibrate a post out, vibrate a crown or bridge off or help seat a crown.

CK (Carr-Kanter Back-Action Ultrasonic Tip) 973-0061  
Used to reach tough areas such as MB2 canals.

CPR TIPS

CPR-1	973-1031	CPR set of 5 (1-5)	973-1030
CPR-2D	973-1032	CPR-6	973-1011
CPR-3D	973-1033	CPR-7	973-1012
CPR-4D	973-1034	CPR-8	973-1013
CPR-5D	973-1035	CPR set of 3 (6-8) (not shown)	973-1010

Limited European distribution.





SURGICAL ULTRASONIC TIPS

CT TIPS™

Our surgical tips, designed by Gary Carr, include CT, UT and SJ sets. Surgery is initiated with the “1” tip and followed by the “2” or “3,” depending on tooth position.

Strength:	High
Tips:	Somewhat bulky, used in wide preps
Visibility:	Moderate
Water port:	Yes

CT-1 Initiating Tip 973-0059  
Straight-line tip with 90° angle used to initiate the preparation.

CT-2 Main Right Tip 973-0053  
Angled tip for use on upper right and lower left to complete the prep.

CT-3 Main Left Tip 973-0055  
Angled tip for use on upper left and lower right to complete prep.



FILE ADAPTOR

The File Adaptor, used with NiTi blanks or K-Files (sizes 15-35) without a handle, can be inserted into the chuck. It activates irrigant in the canal, thereby increasing the effect of irrigation by acoustic streaming.

File Adapter 973-0031



DIAMOND-COATED ULTRASONIC TIPS

Our most popular Ultrasonic Tips are now also available with a diamond coating, improving their cutting efficiency and durability.

CT-4 Straight-Line Tip (our most popular)	973-1057
CT-1 Initiating Tip	973-1059
CT-2 Right Tip	973-1053
CT-3 Left Tip	973-1054
UT-4 Straight-Line Tip	973-1039
CK Carr-Kanter Back-Action Tip	973-1060
SP-2 Medium Spreader Tip	973-1065
BK3-R Upper Right/Lower Left Tip	973-1110
BK3-L Upper Left/Lower Right Tip	973-1111

CT-4

CT-1

CT-2

CT-3

UT-4

CK

SP-2

BK3-R

BK3-L



KiS TIPS

The KiS microsurgical ultrasonic instruments are designed for use in endodontic microsurgery and offer dramatically increased cutting efficiency due to their diamond coating. The dentin surface is left smooth, yet microscopically rough, which results in better adaptation of filling materials, fewer microfractures and less leakage. The longer shafts and increased angles give the clinician improved access and the strategically placed irrigation port affords more precise control of irrigation.

KiS-1D 973-1021  
Angled 80° at the working end, this instrument is a general purpose tip for use on anterior and posterior areas – 0.5 mm diameter x 3.0 mm cutting surface.

KiS-2D 973-1022  
Similar to the KiS-1D, this instrument is for larger diameter roots – 0.7 mm diameter x 3.0 mm cutting surface.

KiS-3D 973-1023  
This double-angled 75° instrument is for use on the buccal root of the mandibular right molar and mesial buccal of the maxillary left molar – 0.5 mm diameter x 3.0 mm cutting surface.

KiS-4D 973-1024  
This double-angled 110° instrument is for use on the lingual root of the mandibular left molar and distal buccal of the maxillary right molar – 0.5 mm diameter x 3.0 mm cutting surface.

KiS-5D 973-1025  
A mirror image of the KiS-3D, this instrument is for use on the buccal roots of the mandibular left molar and mesial buccal of the maxillary right molar – 0.5 mm diameter x 3.0 mm cutting surface.

KiS-6D 973-1026  
A mirror image of the KiS-4D, this instrument is for use on lingual roots of the mandibular right molar and distal buccal of the maxillary left molar – 0.5 mm diameter x 3.0 mm cutting surface.

KiS set of 6 973-1020  
The set includes KiS-1D, KiS-2D, KiS-3D, KiS-4D, KiS-5D and KiS-6D.



Limited European distribution.



UT TIPS

Strength:	Moderate
Tips:	Moderate size, can access most areas
Visibility:	Good
Water port:	Yes

UT-1 Initiating Tip 973-0033  
Straight-line tip with 90° angle used to initiate the preparation.

UT-2 Universal Right tip 973-0035  
Angled tip for use on upper right and lower left to complete the prep.

UT-3 Universal Left tip 973-0037  
Angled tip for use on upper left and lower right to complete the prep.



SJ TIPS™

Strength:	Delicate
Tips:	Very fine, used for fine preps
Visibility:	Excellent
Water port:	Yes

SJ-1 Initiating Tip 973-0084  
Straight-line tip with 90° angle used to initiate the preparation.

SJ-2 Slim Jim Right Tip 973-0078  
Angled tip for use on upper right and lower left to complete the prep.

SJ-3 Slim Jim Left Tip 973-0080  
Angled tip for use on upper left and lower right to complete the prep.

BK-3 TIPS

Our BK-3 surgical tips have three bends for easy access to any preparation, including MB2 canals. BK-3s provide excellent visibility and can finish an entire prep with one tip. Water is directed down the three bends and is able to reach the surgical site. BK-3s are for use with any application.

BK-3 Right (upper right, lower left) 973-0110  
BK-3 Left (upper left, lower right) 973-0112






Take it from the experts – SybronEndo’s microsurgical line has been developed by endodontists for the unique needs of endodontic surgery. See how their expertise can better facilitate your surgical procedures.


MICROSURGERY

SCALPELS	58
MICROSURGICAL SUCTION	58
STROPKO IRRIGATOR	59
CURETTES	60
RETRACTORS	61
MIRRORS	61
IMPACT AIR HANDPIECES	62
EXPLORERS	62
PLUGGERS AND CONDENSERS	63
SUTURES	64
NEEDLE HOLDER	65
TWEEZERS	65
SCISSORS	65
FORCEPS	65

micro  
surgery







SCALPELS

Specially designed for endodontic use, SybronEndo’s disposable scalpels improve visibility under a micro-scope, allowing a more precise incision. The scalpels are double-edged and curved to conform to all areas of the mouth. All scalpels come in a pack of three heads only. Scalpels, mirrors, and handles are interchangeable and available separately.

<b>CK-1 Small Spear-Point Scalpel</b> For buccogingival incisions	975-0009
<b>CK-2 Small Full-Radius Scalpel</b> For all indications	975-0010
<b>CK-3 Large Full-Radius Scalpel</b> For all indications	975-0011
<b>CK-4 Large 10° Spear-Point Scalpel</b> For mucogingival incisions	975-0012
<b>CK-6 Small 60° Spear-Point Scalpel</b> For Palatal incisions	975-0014
<b>CK-H Scalpel/Mirror Handle</b>	975-0015
<b>CM-H Scalpel/Mirror Handle – Long</b>	979-0009



MICROSURGICAL SUCTION

Provides efficient aspiration in difficult surgical sites.

<b>Microsurgical Suction Tube – Small</b>	975-0044
<b>Aspirator Brush (pkg of 5)</b>	975-0049
<b>Rubber Suction Tips (pkg of 50)</b>	975-0047



STROPKO IRRIGATOR




The Stropko Irrigator places the perfect amount of air and water pressure into the field. Its small, luer-lock tips do not impede visibility during irrigation or drying and are excellent for use under the microscope. Fits most Triplex air/water syringes.

<b>Stropko Irrigator</b>	975-0039
<b>Stropko Blue Irrigation Tips</b>	975-0120


ADAPTER

Most units accommodate the Stropko without the use of an adapter. For old Adec units or Triplex syringes, an adapter may be needed to accommodate the Stropko. The adapter will modify a female-type syringe head into a male screw-type syringe. The thread measurements on the adapter are 5/16 – 32.

<b>Adapter</b>	975-0040
----------------	----------







CURETTES

SybronEndo currettes are extremely sharp and able to cut through attaching fibers with the efficiency of a scalpel. This allows the skilled clinician to provide patients with the shortest recovery time possible. All currettes are autoclavable and manufactured from only the highest-grade surgical stainless steel.

Ruddle Currettes are used to make a sharp dissection of the periosteal tissue, thus preventing tissue damage. They allow for undermining elevation of the flap, which along with the micro-surgical incision are the first two steps in automatic flap management.


<b>Ruddle Upper Left/Lower Right Curette</b> Round ends used to cut and elevate gingival tissue.	974-0033
<b>Ruddle Upper Right/Lower Left Curette</b> Round ends used to cut and elevate gingival tissue.	974-0034
<b>Mini Ruddle Upper Left/Lower Right Curette</b> Small squared ends used to cut and elevate gingival tissue.	974-0035
<b>Mini Ruddle Upper Right/Lower Left Curette</b> Small squared ends used to cut and elevate gingival tissue.	974-0036

The Molt 2-4 is used for elevation of the tissue once the incision is made.


<b>Molt 2-4 Elevating Curette</b> Rounded ends with no angle are used to cut and elevate tissue.	974-0037
---	----------

Jaquettes are double-ended and used to curette pathological lesions from the surface of the root. They are especially useful when the bony access is small or when tissue needs to be curetted from lingual recesses.

<b>Jacquette Curette</b> Sharp Curette used to spoon out lesion.	974-0038
<b>Mini Jacquette Curette</b> Sharp Curette used to spoon out lesion.	974-0039



CARR #1




CARR #2

### RETRACTORS

SybronEndo Retractors are designed specifically for apical surgery. Our retractors reduce slippage and minimize tissue impingement. With oversized handles, abraded surfaces, and thumb-support detentes, SybronEndo retractors are both ergonomic and clinically superior. The Carr Retractors have a serrated edge that can easily rest in a groove created by the doctor. This takes pressure off of an assistant who holds back the flap and reduces the occurrence of slippage on the bone.

<b>Carr #1 45° Retractor</b> Serrated edge for posterior applications	974-0030
<b>Carr #2 90° Retractor</b> Serrated edge for anterior applications	974-0031





MIRRORS

It is essential in microsurgery to see not only through the microscope but also into small spaces like the bony crypt. Conventional dental mirrors cannot access the areas created in microsurgery. SybronEndo’s stainless steel mirrors are durable and autoclavable. The semi-flexible heads and small surface areas allow greatly improved access to the surgical site. Multiple shapes and sizes are available for various access holes. Mirrors, scalpels and handles are interchangeable and sold separately.

<b>CM-R Mirror Set</b> 1 each CM-1, CM-2, CM-3 with regular handles	979-0010
<b>CM-1 5mm Round</b> 1 mirror head only	979-0001
<b>CM-2 3mm Round</b> 1 mirror head only	979-0002
<b>CM-3 Medium Oval</b> 1 mirror head only	979-0004
<b>CM-6 Large Oval</b> 1 mirror head only	979-0008
<b>CM-H Long Scalpel/Mirror</b> 1 handle only	979-0009
<b>CK-H Scalpel/Mirror Handle</b> 1 handle only	975-0015





IMPACT AIR HANDPIECES

The Impact Air handpiece is an essential tool in every endodontic office. Its head was designed for the sterile conditions of implant surgery and does not exhaust air, reducing the risk of an air embolism and maintaining sterility in the surgical field. The Impact Air is ideal for bony access, as well as root resectioning. Its 45° angled head allows maximum visibility and is ideal for accessing tight spaces during endodontic surgery.

The high-speed Impact Air Handpiece accepts “friction-grip” burs with effortless bur insertion and removal. It is available in a four-hole version without fiber optics, and a five-hole version with fiber optics.

Impact Air Five-Hole w/Fiber Optic*	977-0002
Impact Air Four-Hole	977-0001

\*For sale only in the USA.

EXPLORERS


SybronEndo has developed our Explorers with the clinicians unique endodontic needs in mind.

The extremely sharp and durable Carr Explorer is used to create an initial tracking groove by hand.

CX-1 Carr Explorer	974-0040
--------------------	----------

The Endo Explorer is the classic explorer used to locate canals.

DG-16 Endo Explorer	974-0041
---------------------	----------



PLUGGERS AND CONDENSERS


SybronEndo carries several condensers designed to assist the clinician to insert retro-fill material into a retro-prep. The unique angles offered on the condensers fit most any preparation. All condensers are autoclavable and manufactured from only the highest-grade surgical stainless steel.

<b>F-1 Feinstein Super Plugger</b> Back action on one end and 90° on other with ball burnisher.	974-0008
<b>P-1 Double-Ended Plugger (90° Angle)</b> For small anterior preparations.	974-0005
<b>P-1L Large Double-Ended Plugger (90° Angle)</b> For small anterior applications.	974-0006

<b>B-2R Buchanan Condenser (Right Angle)</b> Angled for upper left or lower right with ball burnisher on opposite side.	974-0001
<b>B-2L Buchanan Condenser (Left Angle)</b> Angled for upper right or lower left with ball burnisher on opposite side.	974-0002
<b>B-3 Buchanan Condenser (90° Angle)</b> Angled for anteriors with ball burnisher on opposite side.	974-0003







SUTURES

Originally designated for cardiac surgery due to their strength and low friction while moving through tissue. These sutures are ideal for endodontics with their minimal tissue trauma. The Tevdek sutures, which are 1/3 stronger than silk, are coated and impregnated with Teflon®. The non-stick surface means less bacteria adhesion, which accelerates the healing process and allows for early suture removal. Great handling qualities allow for knots that are easily tied and very secure. Our KT needles are scalpel-sharp and create an incision hole rather than a triangular hole in order to be less traumatic to the patient.

NEEDLES

Our sterile KT needles come in 2 sizes. The KT-1 is smaller for subgingival areas while the KT-2 is larger for the interproximal region (12 per pack).

Needle Type	Arms	Needle Length	Suture Length	Diameter (French sizing)	Needle Arc	Part Number
KT-2	Single	17.8mm	18"	4/0	3/8	975-0050
KT-1	Single	12.1mm	18"	5/0	3/8	975-0052
KT-2	Single	17.8mm	18"	5/0	3/8	975-0054
KT-1	Single	12.1mm	18"	6/0	3/8	975-0056


CARR SUTURES

Needle Type	Arms	Needle Length	Suture Length	Diameter (French sizing)	Needle Arc	Part Number
KT-1/KT-2	Double	12.1/17.8mm	36"	4/0	3/8	975-0063
KT-1/KT-2	Double	12.1/17.8mm	36"	5/0	3/8	975-0065
KT-1/KT-2	Double	12.1/17.8mm	36"	6/0	3/8	975-0067

\* Teflon is a registered trademark of DuPont.



CASTROVIEJO NEEDLE HOLDER



MICROSURGICAL TWEEZERS  
STRAIGHT (TOP)

MICROSURGICAL SCISSORS



TWEEZERS, FORCEPS, SCISSORS AND  
NEEDLE HOLDERS

Our popular Castroviejo is a delicate instrument used to hold fine needles such as 5/0 & 6/0 during suturing. Easy to maneuver and lock.

**Castroviejo Needle Holder** 975-0006

Basic straight tweezers used to grab anything from gutta percha to cotton rolls.


**Microsurgical Tweezers – Straight** 975-0002

Our Microsurgical Scissors are a necessity for many applications, including cutting sutures.

**Microsurgical Scissors – Curved** 975-0007  
**Microsurgical Scissors – Straight** 975-0008

Long-necked, short-beaked forceps used to retrieve small objects from tight areas such as separated instruments deep into the canal.

**Microsurgical Forceps** 975-0001



MICROSURGICAL FORCEPS



## RETREAT & RESTORE

SybronEndo has several innovative instruments to assist you with a retreat case. Combining patient comfort with rapid, predictable results, we believe these systems are the best on the market today.

RUDDLE POST REMOVAL SYSTEM AND ACCESSORIES	68
PERFORATION REPAIR	68
CROWN SPLITTER	68
PEERLESS POST	69

# re treat & restore





RUDDLE POST REMOVAL SYSTEM™

The Ruddle Post Removal System was designed by Dr. Clifford Ruddle to get out of sticky situations without root or tooth damage. The Post Removal System features 5 trephine sizes with matching taps that literally put the grip on the post. Once the threads have been created, the removal plier completes the job. The Ruddle System is designed to fully engage and remove even the most intransigent post while preserving surrounding dentition.


Ruddle Post Removal System	977-0030
RUDDLE POST REMOVAL SYSTEM REPLACEMENT PARTS	
Ruddle Remover Tool	977-0031
Post Removal Domer Bur	977-0032
Post Removal Trephine #1	977-0033
Post Removal Trephine #2	977-0034
Post Removal Trephine #3	977-0035
Post Removal Trephine #4	977-0036
Post Removal Trephine #5	977-0037
Post Removal Tap #1	977-0038
Post Removal Tap #2	977-0039
Post Removal Tap #3	977-0040
Post Removal Tap #4	977-0041
Post Removal Tap #5	977-0042
Post Removal Torque Pin	977-0043
Post Removal Silicon Cushion Assortment	977-0044
Post Removal System Sterilizing Tray	977-0047
Post Removal System Box	977-0048



CROWN SPLITTER

The SybronEndo Crown Splitter assists in safe and easy crown removal.


Crown Splitter 974-0051



WEST PERFORATION REPAIR

West Perforation Repair instruments are ideal for an incident in the upper third of the canal. Because the ends are paddle-like, they serve well as a carrier for both barrier and repair material. The paddles are flexible enough to allow placement of material flush with the canal wall.

W1-2 West Perforation Repair Large paddle for coronal 1/3 repair	974-0020
W3-4 West Perforation Repair Small paddle for coronal 1/3 repair and mid-root repair	974-0021




PEERLESSPOST™

PeerlessPost is a fully customizable fiber post. Adjustable on both ends, PeerlessPost provides a custom fit that is both esthetic and radiopaque.


- PeerlessPost has unique “keystone” links that are proven more retentive than other popular posts.\*
- PeerlessPosts exhibit a low elastic modulus similar to that of dentin, thereby decreasing the risk of root fractures.

\*Data on file, SybronEndo.

FOUR POSTS = SIXTY-FOUR OPTIONS



Each post has three 1 mm apical segments and four 1 mm coronal “keystone” segments that can be trimmed to custom fit each tooth for maximum contact and dentin conservation.\* With four PeerlessPost sizes available – each providing 16 options – you can choose among 64 different configuration possibilities.




PART NO.	DESCRIPTION	PART NO. CANADA & EUROPE
977-1000	PeerlessPost Kit	977-1040
977-1001	Universal Drill	977-1041
977-1011	Drill #1 – .7 mm .06 taper ( 2 pk)	977-1042
977-1012	Drill #2 – .8 mm .06 taper ( 2 pk)	977-1043
977-1013	Drill #3 – .9 mm .04 taper ( 2 pk)	977-1044
977-1014	Drill #4 – 1.0 mm .04 taper ( 2 pk)	977-1045
977-1021	Post #1 – .7 mm .06 taper (10 pk)	977-1051
977-1022	Post #2 – .8 mm .06 taper (10 pk)	977-1052
977-1023	Post #3 – .9 mm .04 taper (10 pk)	977-1053
977-1024	Post #4 – 1.0 mm .04 taper (10 pk)	977-1054

PeerlessPost™

PeerlessPosts are tooth colored. They will not create dark show-through and will not require opaquer, or offset shading under ceramic crowns and bridges.


Unique “keystone” retention head prevents rotation or dislodgement.

PeerlessPost is made from non-galvanic, noncorroding fiber-reinforced composite. It is radiopaque to easily distinguish it from tooth, gutta percha and cement.



Tapered body section (.04 and .06) conserves dentin and maintains canal shape.

Adjustable coronal and apical ends allows for conservative post sizing.



Built-in undercuts increase surface area and improve retention.



I N D E X

PRODUCT	PAGE	PRODUCT	PAGE	PRODUCT	PAGE	PRODUCT	PAGE
4-Series Ultrasonic Tips	52	Endo Explorer DG-16	7, 62	M4 Safety Handpiece	21	Ruddle Curette	60
Absorbent Points	44	EndoRing	19	MicroFlow Cartridges	46	Ruddle Mini Curette	60
Adapter, Stropko	31, 59	EndoTouch TC	20	MicroFlow Syringe	46	Ruddle Post Removal System and	
AN Ultrasonic Tip	53	Engine Spreaders	47	MicroSeal Condensers	47	Accessories	68
Apex Locators	4, 6	Explorers	7, 62	MicroSeal Gutta Percha	41	Safety Handpiece	21
Autofit Backfill Gutta Percha	40	Feinstein Pluggers	63	MicroSeal Paper Points	41	Scalpel Handle	58
Autofit Feathered Tip Gutta Percha		Files	14, 17, 24, 25	MicroSeal Spreaders	47	Scalpels	58
(Nonstandard)	40	File Adaptor	55	MicroSeal Master Cones	41	Scissors	65
Autofit Greater Taper Gutta Percha	40	Finger Pluggers	44	Microsurgical Pluggers	63	Sealers	45
Autofit Paper Points	31, 41	Finger Spreaders	44, 47	Microsurgical Suction Aspirator Brush	58	Sealapex	45
Axxess Handpieces	22	Forceps	65	Microsurgical Suction	58	Sealapex Xpress	45
Bending Tool	35	Gates Glidden	27	Mini Apex Locator and accessories	6	Silicone Boots	35
Barbed Broaches	27	Greater Taper Gutta Percha	40	Mini Jaquette Curette	60	SlickGel ES	19, 30
BK3 Ultrasonic Tips	54	Grounding Lead with Lip Clip (2006)	7	Mini-Spring Head Handpiece	23	SJ Ultrasonic Tips	54
BUC Ultrasonic Tips	53	Gutta Percha	30, 40, 42	MiniEndo II	52	SJ-4 Ultrasonic Tip	52
Buchanan Condensers	63	Gutta Percha – K3	14, 41	Mirror Handle	58, 61	SmearClear	30
Buchanan Hand Pluggers	36	Handpieces	22, 23	Mirrors	61	Specialty Ultrasonic Tips	53
Buchanan Heat Plugger Tip Stand	36	Hedstrom Files	25	Molt 2-4 Elevating Curette	60	Spreader Ultrasonic Tips	51, 52
Buchanan Heat Pluggers	36	Impact Air Handpieces	62	Needle Bending Tool	35	Spreaders	44, 47
Carr Explorer CX-1	7, 62	Instruments	26	Needle Holders	65	Spring-Head Handpieces	22, 47
Carr Retractors	61	Instrument Canister	15	Nickel-Titanium Files	14	ST Ultrasonic Tip	53
Carr Sutures	64	Irrigator	31, 59	Nickel-Titanium Irrigating Needle Tips	29	Standardized Gutta Percha	42
Carr-Kanter Back-Action Ultrasonic Tip	53	ISO/MicroSeal Gutta Percha	41	Nonstandard Feathered Tip		Stropko Irrigator and Accessories	31, 59
Castroviejo Needle Holder	65	ISO/MicroSeal Paper Points	41	Gutta Percha	40	Sutures	64
CK Ultrasonic Tip	55	Jacquette Curette	60	Obtura and Accessories	46	System B Charge Adapter	37
Condensers	63	K3 G-Packs	15	Paper Points	31, 41	System B Heat Source	37
Contra-Angles	20, 47	K3 Gutta Percha	14, 41	Pathfinder and Pathfinder CS	26	System B Heat Source Replacement	
CPR Tips	53	K3 Intro Kit	14	Perforation Repair	68	Parts	37
Crown Splitter	68	K3 Procedure Packs	15	Planing Ultrasonic Tip	51	System B Plastic Practice Blocks	37
CT Ultrasonic Tips	54	K3 Nickel-Titanium Files	14	Plastic Practice Shaping Blocks	21	System B Pluggers	36
CT-4 Ultrasonic Tip	52, 55	K3 Nickel-Titanium Orifice Openers	14	Pluggers (Microsurgical)	63	System B Tip Stand	36
Curettes	60	K3 VTVT Packs	15	PeerlessPost	69	Tapered Gutta Percha	42
Diamond-Coated Ultrasonic Tips	55	K3 Workstation	15	Post Removal System	68	TCM Endo III Foot Pedal	21
Double-Ended Pluggers	63	K-Files	25	Pulp Canal Sealer and Pulp Canal		TCM Endo III Motor	21
Electric Endodontic Motors	21	K-Flex Files	24	Sealer EWT	45	Tevdek Sutures	64
Elements Apex Locator	4	KiS Tips	55	Quantec Nickel-Titanium Files	16	Tip Snip	40
Elements Diagnostic Unit	4	LA Axxess Burs and Instruments	18	RealSeal	39	Torque Limiting Handpiece	23
Elements Obturation Unit	34	LA Axxess Kit	18	Reamers	26	Touch 'n Heat and Accessories	43
Elements Ultrasonic Endo Scaler	50	Latch-Head Handpiece	22	RedStar Tips	51	Triple-Flex Files	25
Endo-Bender	19	Lip Clip (Vitality Scanner 2006)	7	Retractors	61	Tubli-Seal	45
Endo-Bender Gauge	19	Lubricant, SlickGel	19, 30	RS1, RS2 Ultrasonic Tips	51	Tubli-Seal EWT	45

PRODUCT	PAGE	Registered Trademarks
Tubli-Seal Xpress	45	Autofit
Tubli-Seal EWT Xpress	45	Endo-Bender
Tweezers	65	K-Flex
TF (Twisted Files)	11	MicroSeal
TF (Twisted Files) Gutta Percha	41	Obtura
TF (Twisted Files) Sterile Paper Points	41	Quantec
Ultrasonic Tips	52	Sealapex
UT Ultrasonic Tips	54	M4 Safety Handpiece
UT-4 Ultrasonic Tip	52	Triple-Flex
Vitality Scanner 2006 and Accessories	7	
VT Ultrasonic Tip	53	Trademarks
West Perforation Repair	68	Apex Finder
		CanalClear
		CT Tips
		Elements Obturation Unit
		Endo Analyzer
		EndoTouch
		Flexi-Tips
		Four Series
		K3
		LA Axxess
		MicroApplicator
		Microflow
		Pacmac
		Pathfinder
		Pulp Canal Sealer
		RealSeal
		Ruddle Post Removal System
		Sealapex Xpress
		SlickGel ES
		SJ Tips
		SmearClear
		Stropko Irrigator
		System B
		TF
		Tip Snip
		Touch 'n Heat
		Triplex Syringe
		Tubli-Seal Xpress
		Tubli-Seal EWT Xpress
		Vitality Scanner