

# **Safety Data Sheet**

Safety Data Sheet (in compliance with Regulation (EC) 1907/2006, Regulation (EC) 1272/2008 and Regulation (EC) 453/2010)

Date Issued: 22 June 2009 Document Number: 0021001MS Date Revised: 12 June 2014 Revision Number: 5

# 1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 Product Identifier:

Trade Name (as labeled): Orange Solvent
Part/Item Number: 21001, 21002

1.2 Relevant Identified Uses of the Substance or Mixture and Uses Advised Against:

Recommended Use: Instrument and surface cleaning Restrictions on Use: For professional use only

1.3Details of the Supplier of the Safety Data Sheet:

Manufacturer/Supplier Name:

Manufacturer/Supplier Address:

1301 Smile Way
York, PA, USA

Manufacturer/Supplier Telephone Number: 1-201-871-1232 or 800-637-8582

(Product Information)-

Email address: <a href="mailto:customer.service@sultanhc.com">customer.service@sultanhc.com</a>

1.4 Emergency Telephone Number:

Emergency Contact Telephone Number: 800-535-5053 (INFOTRAC)

1-352-323-3500

(Outside the United States - Call Collect)

# 2. HAZARD(s) IDENTIFICATION

#### 2.1 Classification of the Substance or Mixture:

#### **GHS Classification:**

| Health                         | Environmental | Physical                    |
|--------------------------------|---------------|-----------------------------|
| Aspiration Toxicity Category 1 | Not hazardous | Flammable Liquid Category 4 |

EU Classification (1999/45/EC as amended): Harmful (Xn)

EU Risk (R) Phrases: R65

Refer to Section 16 for the full text of the EU Classifications and R Phrases.

Orange Solvent Page 1 of 9

# 2.2 Labeling Elements:



# Signal Word: Danger!

| Hazard Statements                                  | Precautionary Statements                                  |
|--|---|
| H227 Combustible Liquid                            | P301 + P310 IF SWALLOWED: Immediately call a POISON       |
| H304 May be fatal if swallowed and enters airways. | CENTER or doctor.   |
|  | P331 Do NOT induce vomiting.                              |
|  | P405 Store locked up.                                     |
|  | P501 Dispose of contents and container in accordance with |
|  | local and national regulations.                           |

# 2.3 Other Hazards: None

# 3. COMPOSITION AND INFORMATION ON INGREDIENTS

# 3.2 Mixture

| Hazardous Components | C.A.S. #<br>EC#             | IUPAC Name                    | Substance<br>Classification | WT % |
|----------------------|-----------------------------|-------------------------------|-----------------------------|------|
| Mineral Oil          | 8042-47-5 /<br>232-455-8    | White mineral oil (petroleum) | Asp Tox 1 H304<br>Xn R65    | <90  |
| Orange Oil Terpenes  | 8008-57-9 /<br>Not assigned | Oil of Orange                 | Asp Tox 1 H304<br>Xn R65    | <10  |

The exact concentration is being withheld as a trade secret.

Refer to Section 16 for the full text of the GHS and H phrases and EU Classifications and R Phrases.

# 4. FIRST-AID MEASURES

| 4.1 Description  | 4.1 Description of First Aid Measures:  |  |  |  |
|--|---|--|--|--|
| Routes of Exposure   | First Aid Instructions  |  |  |  |
| Eye  | Flush eyes with large quantities of water several minutes, holding the eyelids apart. Get medical attention if irritation persists.   |  |  |  |
| Skin   | Wash skin with soap and water.  |  |  |  |
| Inhalation   | If irritation develops, remove to fresh air. Get medical attention if symptoms persist.   |  |  |  |
| Ingestion  | If swallowed, wash mouth with water. DO NOT induce vomiting. If vomiting occurs, place victim's head below their knees. Never give anything my mouth to an unconscious person. Get immediate medical attention. |  |  |  |
| 4.2 Most Important Symptoms and Effects, Both Acute and Delayed:   |   |  |  |  |
| May cause mild eye irritation. Harmful if swallowed. Aspiration during swallowing or vomiting may cause lung damage. |   |  |  |  |

Orange Solvent Page 2 of 9

# 4.3 Indication of Any Immediate Medical Attention and Special Treatment Needed:

If swallowed, get immediate medical attention.

**Note to Physicians (Treatment, Testing, and Monitoring):** Treatment of overexposure should be directed at the control of symptoms and clinical conditions. Induction of vomiting is not recommended due to potential aspiration toxicity.

# 5. FIRE-FIGHTING MEASURES

# 5.1 Extinguishing Media

Use water fog, carbon dioxide or foam. Do not use straight water stream.

# 5.2 Special Hazards Arising from the Substance or Mixture:

Combustible liquid. Releases flammable vapors when heated above the flashpoint. Mists or sprays may burn at temperatures below the flashpoint.

# **5.3 Advice for Fire-Fighters:**

| Fire Fighting Procedures:      | Cool fire exposed containers and structures with water.  |  |
|--------------------------------|--|--|
| Precautions for Fire Fighters: | Firefighters should wear positive pressure self-contained breathing apparatus and full protective clothing for all fires involving chemicals |  |

#### **Recommended Protective Equipment for Fire Fighters:**

| EYES/FACE | SKIN | RESPIRATORY | THERMAL |  |  |  |
|-----------|------|-------------|---------|--|--|--|
|           |      |             |         |  |  |  |

# 6. ACCIDENTAL RELEASE MEASURES

#### 6.1 Personal Precautions, Protective Equipment and Emergency Procedures:

For large spills, wear eye protection and gloves. Small spills do not require special precautions. Eliminate all ignition sources and ventilate the area.

Recommended Personal Protective Equipment for Containment and Clean-up:

| EYES/FACE | SKIN | RESPIRATORY | THERMAL |
|-----------|------|-------------|---------|
|           |      |             |         |

#### 6.2 Environmental Precautions:

**Environmental Precautions:** Prevent spill from entering sewers and water courses. Report releases as required by local and national authorities.

Orange Solvent Page 3 of 9

# 6.3 Methods and Material for Containment and Cleaning up:

**Methods and Materials for Containment and Clean-up:** Collect using an inert non-combustible absorbent material and place in appropriate containers for disposal. Clean spill area thoroughly.

# 6.4 Reference to Other Sections:

Refer to Section 8 for Personal Protective Equipment and Section 13 for Disposal information.

# 7. HANDLING AND STORAGE

# 7.1 Precautions for Safe Handing:

Avoid contact with the eyes. Avoid prolonged skin contact. Use in accordance with package instructions. Keep product away from heat and sources of ignition.

# 7.2 Conditions for Safe Storage, Including Any Incompatibilities:

Store in a cool, well-ventilated area away from oxidizers. Do not store above 95°F (35°) or in direct sunlight for prolonged periods.

7.3 Specific End Use (s): For professional use only.

# 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

| 3.1 Control Parameters: |                       |  |  |  |
|-------------------------|-----------------------|--|--|--|
| Occupational Exposur    | e Limits:             |  |  |  |
| Mineral Oil:            | United States         | 5 mg/m3 inhalable TWA ACGIH TLV;<br>5 mg/m3 TWA OSHA PEL |  |  |
|                         | Germany               | None Established   |  |  |
|                         | United Kingdom        | None Established   |  |  |
|                         | France                | None Established   |  |  |
|                         | Spain                 | None Established   |  |  |
|                         | Italy                 | None Established   |  |  |
|                         | European Union        | None Established   |  |  |
| Orange Oil Terpenes     | United States         | None Established   |  |  |
|                         | Germany               | None Established   |  |  |
|                         | United Kingdom        | None Established   |  |  |
|                         | France                | None Established   |  |  |
|                         | Spain                 | None Established   |  |  |
|                         | Italy                 | None Established   |  |  |
|                         | European Union        | None Established   |  |  |
| Biological Exposure Li  | mits: None Establishe | ed   |  |  |

Orange Solvent Page 4 of 9

# 8.2 Exposure Controls:

**Appropriate Engineering Controls:** No special controls required for normal use. Use with adequate local or general ventilation to minimize exposure concentrations.

# **Individual Protection Measures (PPE)**

Specific Eye/face Protection: Safety glasses should be worn if contact is likely.

**Specific Skin Protection:** Wear oil impervious gloved such as neoprene or nitrile for prolonged use. Recommended glove: Neoprene or nitrile. Consult glove supplier for thickness and breakthrough times.

**Specific Respiratory Protection:** None required under normal use conditions.

Specific Thermal Hazards: Not applicable

| -         | Recommended Personal Protective Equipment: |             |         |  |  |
|-----------|--|-------------|---------|--|--|
| EYES/FACE | SKIN                                       | RESPIRATORY | THERMAL |  |  |
|           |  |             |         |  |  |

# 9. PHYSICAL AND CHEMICAL PROPERTIES

| 9.1 Information on Basic Physical and Chemical Properties: |                             |   |                |  |
|--|-----------------------------|---|----------------|--|
| Appearance:  | Oily transparent liquid     | Explosive limits:                       | Not determined |  |
| Odor:  | Strong orange               | Vapor pressure:                         | Not determined |  |
| Odor threshold:  | Not available               | Vapor density:                          | >1             |  |
| рН:  | 4.9 (1:1)                   | Relative density:                       | 0.798-0.882    |  |
| Melting/freezing point:                                    | Not determined              | Solubility:                             | None           |  |
| Initial boiling point and range:                           | Not determined              | Partition coefficient: n-octanol/water: | Not determined |  |
| Flash point:   | 181°F / 82.8°C              | Auto-ignition temperature:              | Not available  |  |
| Evaporation rate:  | Not available               | Decomposition temperature:              | Not available  |  |
| Flammability:  | Not flammable but will burn | Viscosity:                              | Not available  |  |
| <b>Explosive Properties:</b>                               | None                        | Oxidizing Properties:                   | None           |  |

**9.2 Other Information:** None available

Orange Solvent Page 5 of 9

#### 10. STABILITY AND REACTIVITY

- 10.1 Reactivity: No hazardous reactions anticipated.
- **10.2** Chemical Stability: Stable under ambient conditions.
- 10.3 Possibility of Hazardous Reactions: None known.
- **10.4 Conditions to Avoid:** Avoid heat and sources of ignition.
- **10.5** Incompatible materials: Avoid oxidizing agents, and alkali metals.
- **10.6 Hazardous Decomposition Products:** Thermal decomposition may produce carbon oxides and hydrocarbons.

#### 11. TOXICOLOGICAL INFORMATION

# 11.1 Information on Toxicological Effects:

#### **Potential Health Effects:**

Eyes: Direct contact may cause mild irritation with redness and tearing.

Skin: Not expected to cause irritation. Prolonged or repeated skin contact may cause dryness, defatting and dermatitis.

<u>Ingestion:</u> Swallowing may cause nausea, vomiting and diarrhea. Aspiration into the lungs during swallowing or vomiting may cause severe lung damage.

<u>Inhalation:</u> None expected from normal use. Inhalation of mists that may be formed if product is heated or sprayed may cause irritation of the upper respiratory tract.

Chronic Health Effects: None known.

<u>Carcinogenicity:</u> None of the components of this product are listed as carcinogens by OSHA, IARC, ACGIH, NTP or EU Directives. Lifetime skin painting studies in mice have shown no carcinogenic effects.

**Mutagenicity:** Mineral oil was negative in the modified AMES test and in-vitro mouse lymphoma assay.

Medical Conditions Aggravated by Exposure: Skin disorders may be aggravated by exposure.

# **Acute Toxicity Data:**

Mineral Oil: Oral Rat LD50 >5,000 mg/kg; Skin rabbit LD50 >2,000 mg/kg

Orange Oil Terpenes: Oral Rat LD50 >5,000 mg/kg; Skin rabbit LD50 >5,000 mg/kg

Reproductive Toxicity Data: No data available.

#### **Specific Target Organ Toxicity (STOT):**

<u>Single Exposure</u>: Mineral Oil: Effects from single and short-term repeated exposures to high concentrations of mineral oil mists well above the applicable workplace exposure levels include lung inflammation, lipoid granuloma and lipid pneumonia.

Repeated Exposure: No adverse effects expected.

Orange Solvent Page 6 of 9

# 12. ECOLOGICAL INFORMATION

- **12.1 Toxicity:** No data available.
- **12.2 Persistence and Degradability:** Biodegradation data is not available.
- **12.3 Bio-accumulative Potential:** No data is available.
- **12.4 Mobility in Soil:** No data is available.
- 12.5 Other Adverse Effects: The coating action associated with petroleum products can be harmful or fatal to aquatic life.
- 12.6 Results of PBT/vPvB Assessment: Not required.

# 13. DISPOSAL CONSIDERATIONS

13.1 Waste Treatment Methods:

Regulations: Dispose in accordance with local and national environmental regulations

Properties (Physical/Chemical) Affecting Disposal: None known.

Waste Treatment Recommendations: None needed for normal anticipated use.

# 14. TRANSPORT INFORMATION

|           | 14.1 UN<br>Number | 14.2 UN Proper Shipping<br>Name | 14.3<br>Hazard<br>Class(s) | 14.4 Packing<br>Group | 14.5 Environmental<br>Hazards |
|-----------|-------------------|---------------------------------|----------------------------|-----------------------|-------------------------------|
| DOT       | None              | Not Regulated                   | None                       | None                  | No                            |
| ADR/RID   | None              | Not Regulated                   | None                       | None                  | No                            |
| IMDG      | None              | Not Regulated                   | None                       | None                  | No                            |
| IATA/ICAO | None              | Not Regulated                   | None                       | None                  | No                            |

**14.6 Special precautions for user:** Not applicable

**14.7 Transport in Bulk According to Annex II of MARPOL 73/78 and the IBC Code:** Not applicable – product is transported only in packaged form.

#### 15. REGULATORY INFORMATION

15.1 Safety, Health and Environmental Regulations/Legislation Specific for the Substance or Mixture:

#### **U.S. Federal Regulations**

Comprehensive Environmental Response and Liability Act of 1980 (CERCLA): Releases of oil to waterways must be reported to the National Response Center. Many states have more stringent release reporting requirements.

Orange Solvent Page 7 of 9

Report spills required under federal, state and local regulations.

**Toxic Substances Control Act (TSCA):** All of the components of this product are listed on the TSCA inventory or exempt.

Clean Water Act (CWA): Not Listed Clean Air Act (CAA): Not Listed

Superfund Amendments and Reauthorization Act (SARA) Title III Information:

SARA Section 311/312 (40 CFR 370) Hazard Categories:

| Immediate Hazard: | No | Pressure Hazard:   | No |
|-------------------|----|--------------------|----|
| Delayed Hazard:   | No | Reactivity Hazard: | No |
| Fire Hazard:      | No |                    |    |

This product contains the following toxic chemical(s) subject to reporting requirements of SARA Section 313 (40 CFR 372):

| Components | C.A.S. # | WT % |
|------------|----------|------|
| None       |          |      |

#### **State Regulations**

**California:** This product contains the following chemicals(s) known to the State of California to cause cancer, birth defects or reproductive harm:

| Components | C.A.S. # | WT % |
|------------|----------|------|
| None       |          |      |

# **International Regulations**

Canadian Environmental Protection Act: All the components of this product are listed on the Canadian DSL.

Canadian Workplace Hazardous Materials Information System (WHMIS): Not a controlled product.

**EU REACH:** The substances in this product comply with the EU REACH regulation as applicable.

# 16. OTHER INFORMATION

Full text of Classification abbreviations used in Section 2 and 3:

Xn Harmful

R65 Harmful: may cause lung damage if swallowed.

Asp Tox 1 Aspiration Toxicity Category 1

Combustible Liquid Category 4

H304 May be fatal if swallowed and enters airways.

H227 Combustible liquid.

Supersedes: : 26 August 2011

Revision Summary: Comprehensive review, new format.

Orange Solvent Page 8 of 9

Date of SDS Preparation/Revision: 12 June 2014

Data Sources: US NLM ChemID Plus and HSDB, Substance SDS for components, IUCLID Dataset EU Chemical Bureau, ESIS, Country websites for occupational exposure limits.

Orange Solvent Page 9 of 9