# **SAFETY DATA SHEETS**

# This SDS packet was issued with item: 076659759

The safety data sheets (SDS) in this packet apply to one or more components included in the items listed below. Items listed below may require one or more SDS. Please refer to invoice for specific item number(s).

076659528 076665152



# Safety Data Sheet

Safety Data Sheet (in compliance with Regulation (EC) 1907/2006, Regulation (EC) 1272/2008 and Regulation (EC) 453/2010)

Date Issued: 22 June 2009 Document Number: 70010MS Date Revised: 26 August 2011 Revision Number: 3

# 1. PRODUCT IDENTIFICATION

Trade Name (as labeled):	SensiTemp <sup>®</sup> Resin Temporary Cement – Catalyst and Base
Chemical Name/Classification:	Mixture
Product Identifier (Part/Item Number):	70010, 70020
U.N. Number:	None
U.N. Dangerous Goods Classification:	None
Recommended Use:	Temporary Cement for Restorations
Restrictions on Use:	For professional use only
Manufacturer/Supplier Name:	Sultan Healthcare
Manufacturer/Supplier Address:	411 Hackensack Avenue, 9 <sup>th</sup> Floor
	Hackensack, NJ
Manufacturer/Supplier Telephone Number:	1-201-871-1232 or 800-637-8582 (Product Information)-
Emergency Contact Telephone Number:	800-535-5053 (INFOTRAC)
	1-352-323-3500 (Outside the United States – Call Collect)
Email address:	customer.service@sultanhc.com

## 2. HAZARD(s) IDENTIFICATION

EU Classification (1999/45/EC as amended): Irritant (Xi) R43

## **EU Labeling**

	Contains: (1-methylethylidene)bis[4,1-phenyleneoxy(2-hydroxy-3,1- propanediyl)] bismethacrylate, 2,2'-ethylenedioxydiethyl dimethacrylate, 7,7,9(or 7,9,9)-trimethyl-4,13-dioxo-3,14-dioxa-5,12-diazahexadecane-1,16- diyl bismethacrylate R43 May cause sensitization by skin contact. S24 Avoid contact with skin.
Irritant	<ul><li>S37 Wear suitable gloves.</li><li>S35 This material and its container must be disposed of in a safe way.</li></ul>

US Hazard Classification: Hazardous

SensiTemp<sup>®</sup> Resin Temporary Cement – Catalyst and Base

## 3. COMPOSITION AND INFORMATION ON INGREDIENTS

Hazardous Components	C.A.S. # EC#	IUPAC Name	Substance Classification 67/548/EEC (EC) No 1272/2008	WT %
Catalyst				
(1-methylethylidene)bis[4,1- phenyleneoxy(2-hydroxy-3,1- propanediyl)] bismethacrylate	1565-94-2 / 216-367-7	[2-hydroxy-3-[4-[2-[4-[2- hydroxy-3-(2-methylprop-2- enoyloxy)propoxy]phenyl]p ropan-2-yl]phenoxy]propyl] 2-methylprop-2-enoate	Xi R43	20-30
2,2'-ethylenedioxydiethyl dimethacrylate	109-16-0 / 203-652-6	2-[2-[2-(2-methylprop-2- enoyloxy)ethoxy]ethoxy]eth yl 2-methylprop-2-enoate	Xi R43	10-20
Surfactant	68412-54-4 / Polymer	Not available	Xi, R36/38	1-5
Dibenzoyl peroxide	94-36-0 / 202-327-6	benzoyl benzenecarboperoxoate	E, O, Xi R3, R7, R36, R43 Org. Perox. B; H241 Eye Irrit. 2; H319 Skin Sens. 1; H317	0.1-1
Base				
7,7,9(or 7,9,9)-trimethyl-4,13-dioxo- 3,14-dioxa-5,12-diazahexadecane- 1,16-diyl bismethacrylate	72869-86-4 / 276-957-5	2-[[3,5,5-trimethyl-6-[2-(2- methylprop-2- enoyloxy)ethoxycarbonyla mino]hexyl]carbamoyloxy]e thyl 2-methylprop-2-enoate	Xi R43	20-30
2,2'-ethylenedioxydiethyl dimethacrylate	109-16-0 / 203-652-6	2-[2-[2-(2-methylprop-2- enoyloxy)ethoxy]ethoxy]eth yl 2-methylprop-2-enoate	Xi R43	10-20
Surfactant	68412-54-4 / Polymer	Not available	Xi, R36/38	1-10
Potassium Nitrate	7757-79-1 / 231-818-8	potassium nitrate	O, R8	1-5

# Refer to Section 16 for the full text of the EU Classifications and R Phrases.

## 4. FIRST-AID MEASURES

Routes of Exposure	First Aid Instructions
Eye	Flush eyes with large quantities of water several minutes, holding the eyelids apart. Get medical attention if irritation persists.
Skin	Wipe excess off skin. Wash skin thoroughly with soap and water. Get medical attention if irritation develops or persists.
Inhalation	None needed under normal use conditions. If irritation develops, remove to fresh air and get medical attention.
Ingestion	If small amount are swallowed, no adverse effects are expected. For large amounts, rinse mouth with water. Do not induce vomiting. Never give anything by mouth to an unconscious or convulsing person. Get medical attention.

SensiTemp<sup>®</sup> Resin Temporary Cement – Catalyst and Base

Most important symptoms of exposure	Uncured product may cause mild eye and skin irritation. Uncured product may cause allergic skin reaction (sensitization).		
Other	None known.		
Note to Physicians (Treatment, Testing, and Monitoring): Treatment of overexposure should be directed at the control			

of symptoms and clinical conditions.

# 5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Medi	table Extinguishing Media:       Use media appropriate for surrounding fire.			
Fire Fighting Procedures:	Cool fire exposed conta	Cool fire exposed containers and structures with water.		
Specific Hazards Arising fro the Chemical:	m None known.	None known.		
Precautions for Fire Fighter		Firefighters should wear positive pressure self-contained breathing apparatus and full protective clothing for all fires involving chemicals.		
	Recommended Protective Equipment for Fire Fighters:			
EYES/FACE	SKIN	RESPIRATORY	THERMAL	
B				

# 6. ACCIDENTAL RELEASE MEASURES

Personal Precautions, PPE and Emergency Procedures: Wear eye and skin protection.

Environmental Precautions: Prevent spill from entering sewers and water courses. Report releases as required by local and national authorities.

Methods and Materials for Containment and Clean-up: Scoop or wipe up and place in appropriate containers for disposal. May cause a slip hazard. Wash spill area with soap and water.

Recommen	Recommended Personal Protective Equipment for Containment and Clean-up:				
EYES/FACE	SKIN	RESPIRATORY	THERMAL		

SensiTemp<sup>®</sup> Resin Temporary Cement – Catalyst and Base

## 7. HANDLING AND STORAGE

Precautions for Safe Handing: Avoid contact with the eyes and skin. Use in accordance with package instructions.

Conditions for Safe Storage: Store away from extreme heat and sunlight

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Occupational Exposure Limits:		
(1-methylethylidene)bis[4,1- phenyleneoxy(2-hydroxy-3,1- propanediyl)] bismethacrylate	United States	None Established
	Germany	None Established
	United Kingdom	None Established
	France	None Established
	Spain	None Established
	Italy	None Established
	European Union	None Established
2,2'-ethylenedioxydiethyl dimethacrylate	United States	None Established
	Germany	None Established
	United Kingdom	None Established
	France	None Established
	Spain	None Established
	Italy	None Established
	European Union	None Established
Surfactant	United States	None Established
	Germany	None Established
	United Kingdom	None Established
	France	None Established
	Spain	None Established
	Italy	None Established
	European Union	None Established

SensiTemp<sup>®</sup> Resin Temporary Cement – Catalyst and Base

Dibenzoyl peroxide	United States	5 mg/m3 TWA OSHA PEL 5 mg/m3 TWA ACGIH TLV	
	Germany	5 mg/m3 DFG MAK (inhalab	le fraction)
	United Kingdom	5 mg/m3 TWA UK OEL	
	France	5 mg/m3 TWA INRS VME	
	Spain	5 mg/m3 TWA VLA-ED	
	Italy	None Established	
	European Union	None Established	
7,7,9(or 7,9,9)-trimethyl-4,13-dio 3,14-dioxa-5,12-diazahexadecane diyl bismethacrylate		None Established	
	Germany	None Established	
	United Kingdom	None Established	
	France	None Established	
	Spain	None Established	
	Italy	None Established	
	European Union	None Established	
Potassium Nitrate	United States	None Established	
	Germany	None Established	
	United Kingdom	None Established	
	France	None Established	
	Spain	None Established	
	Italy	None Established	
	European Union	None Established	
	rols: No special controls rec s (PPE) ction: Chemical safety gog	gles recommended for handling u	
glove: Nitrile gloves. C	Consult glove supplier for the rotection: None required un	s to prevent skin contact with unre- ickness and breakthrough times. Ider normal use conditions.	eacted product. Recommended
		al Protective Equipment:	
EYES/FACE	SKIN	RESPIRATORY	THERMAL
$\bigcirc$			

SensiTemp<sup>®</sup> Resin Temporary Cement – Catalyst and Base

Environmental Exposure Controls: None required for normal use.

General Hygiene Considerations and Work Practices: Avoid contact with the eyes, skin and clothing. Wash thoroughly with soap and water after handling.

Protective Measures During Repair and Maintenance of Contaminated Equipment: Not applicable for product.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance:	White paste	Explosive limits:	Not applicable
Odor:	Weak, ester like odor	Vapor pressure:	Not applicable
Odor threshold:	Not available	Vapor density:	>1
рН:	Not available	Relative density:	Not available
Melting/freezing point:	Not available	Solubility:	Insoluble
Initial boiling point and range:	>482°F/>250°C	Partition coefficient: n- octanol/water:	Not available
Flash point:	Not flammable	Auto-ignition temperature:	Not available
Evaporation rate:	> 1	Decomposition temperature:	Not available
Flammability:	Not flammable	Viscosity:	Not available
Explosive Properties:	None	Oxidizing Properties:	None

## **10. STABILITY AND REACTIVITY**

**Reactivity:** No unusual reactivity.

Chemical Stability: Stable.

Possibility of Hazardous Reactions: Hazardous reactions are unlikely.

Conditions to Avoid: Avoid heat and UV light.

**Incompatible materials:** Avoid oxidizing agents.

SensiTemp<sup>®</sup> Resin Temporary Cement – Catalyst and Base

Hazardous Decomposition Products: Thermal decomposition may produce carbon oxides, water and acrylic decomposition products.

## **11. TOXICOLOGICAL INFORMATION**

## **Potential Health Effects:**

Eves: Direct contact may cause mild irritation with redness and tearing.

Skin: Prolonged contact may cause dryness or irritation. May cause allergic skin reaction (sensitization).

<u>Ingestion</u>: No adverse effects are expected from swallowing small amounts. Large amounts may cause gastric upset with nausea.

Inhalation: None expected from normal use.

Chronic Health Effects: None known.

Carcinogenicity: None of the components of this product are listed as carcinogens by OSHA, IARC, ACGIH, NTP or EU Directives.

Mutagenicity: No mutagenic effects are expected.

Medical Conditions Aggravated by Exposure: None known.

Acute Toxicity Data:

Product toxicity: LD50 oral rat >5,000 mg/kg

**<u>Reproductive Toxicity Data:</u>** No reproductive or teratogenic effects are expected.

Specific Target Organ Toxicity (STOT):

Single Exposure: Methacrylates has been shown to cause sensitization in humans.

<u>Repeated Exposure</u>: No data available, however, no adverse effects are expected.

## **12. ECOLOGICAL INFORMATION**

Toxicity: No adverse effects are expected on aquatic organisms.

Persistence and Degradability: This product is expected to be removed by sedimentation or degradation.

**Bio-accumulative Potential:** This product is not expected to bio-accumulate.

Mobility in Soil: No data is available.

Other Adverse Effects: None known.

Results of PBT/vPvB Assessment: Not required.

## **13. DISPOSAL CONSIDERATIONS**

**Regulations:** Dispose in accordance with local and national environmental regulations.

Properties (Physical/Chemical) Affecting Disposal: None known.

Waste Treatment Recommendations: None needed for normal anticipated use.

## **14. TRANSPORT INFORMATION**

UN Number:	ADR/RID: None	IMDG: None	IATA: None	DOT: None
UN proper shipping name:	ADR/RID: Not Regu IMDG: Not Regulate IATA: Not Regulate DOT: Not Regulate	ed d		
Transport hazard class(es):	ADR/RID: None	IMDG: None	IATA: None	DOT: None
Packaging group:	ADR/RID: None	IMDG: None	IATA: None	DOT: None
Environmental hazards:	ADR/RID: No	IMDG Marine pollutant No:	IATA: No	DOT: No

## **15. REGULATORY INFORMATION**

## **U.S. Federal Regulations**

**Comprehensive Environmental Response and Liability Act of 1980 (CERCLA):** This product is not subject to CERCLA reporting requirements. Many states have more stringent release reporting requirements. Report spills required under federal, state and local regulations.

**Toxic Substances Control Act (TSCA):** This product is a medical device and not subject to chemical notification requirements.

OSHA Hazard Classification: Sensitizer, irritant

Clean Water Act (CWA): Not Listed

Clean Air Act (CAA): Not Listed

## Superfund Amendments and Reauthorization Act (SARA) Title III Information:

## SARA Section 311/312 (40 CFR 370) Hazard Categories:

Immediate Hazard:	Yes	Pressure Hazard:	No
Delayed Hazard:	No	Reactivity Hazard:	No
Fire Hazard:	No		

This product contains the following toxic chemical(s) subject to reporting requirements of SARA Section 313 (40 CFR 372):

Components	C.A.S. #	WT %
None		

#### **State Regulations**

**California:** This product contains the following chemicals(s) known to the State of California to cause cancer, birth defects or reproductive harm:

Components	C.A.S. #	WT %
None		

## **International Regulations**

EU REACH: The substances in this product comply with the EU REACH regulation as applicable.

16. OTHER INFORMATION
Full text of Classification abbreviations used in Section 2 and 3:
<ul> <li>E Explosive</li> <li>O Oxidizer</li> <li>Xi Irritant</li> <li>R3 Extreme risk of explosion by shock, friction, fire or other sources of ignition.</li> <li>R7 May cause fire.</li> <li>R8 Contact with combustible material may cause fire.</li> <li>R36 Irritating to eyes.</li> <li>R36/38 Irritating to eyes and skin.</li> </ul>
R43 May cause sensitization by skin contact. Org. Perox. B Organic Peroxide Category B Eye Irrit. 2 Eye Irritant Category 2 Skin Sens. 1 Skin Sensitizer Category 2 H241 Heating may cause a fire or explosion.
<ul><li>H317 May cause an allergic skin reaction.</li><li>H319 Causes serious eye irritation.</li><li>Date of SDS Preparation/Revision: 26 August 2011</li></ul>

Data Sources: US NLM ChemID Plus and HSDB, Substance SDS for components, IUCLID Dataset EU Chemical Bureau, ESIS, Country websites for occupational exposure limits.



# Safety Data Sheet

Safety Data Sheet (in compliance with Regulation (EC) 1907/2006, Regulation (EC) 1272/2008 and Regulation (EC) 453/2010)

Date Issued: 22 June 2009 Document Number: 70010MS Date Revised: 26 August 2011 Revision Number: 3

# 1. PRODUCT IDENTIFICATION

Trade Name (as labeled):	SensiTemp <sup>®</sup> Resin Temporary Cement – Catalyst and Base
Chemical Name/Classification:	Mixture
Product Identifier (Part/Item Number):	70010, 70020
U.N. Number:	None
U.N. Dangerous Goods Classification:	None
Recommended Use:	Temporary Cement for Restorations
Restrictions on Use:	For professional use only
Manufacturer/Supplier Name:	Sultan Healthcare
Manufacturer/Supplier Address:	411 Hackensack Avenue, 9 <sup>th</sup> Floor
	Hackensack, NJ
Manufacturer/Supplier Telephone Number:	1-201-871-1232 or 800-637-8582 (Product Information)-
Emergency Contact Telephone Number:	800-535-5053 (INFOTRAC)
	1-352-323-3500 (Outside the United States – Call Collect)
Email address:	customer.service@sultanhc.com

## 2. HAZARD(s) IDENTIFICATION

EU Classification (1999/45/EC as amended): Irritant (Xi) R43

## **EU Labeling**

	Contains: (1-methylethylidene)bis[4,1-phenyleneoxy(2-hydroxy-3,1- propanediyl)] bismethacrylate, 2,2'-ethylenedioxydiethyl dimethacrylate, 7,7,9(or 7,9,9)-trimethyl-4,13-dioxo-3,14-dioxa-5,12-diazahexadecane-1,16- diyl bismethacrylate R43 May cause sensitization by skin contact. S24 Avoid contact with skin.
Irritant	<ul><li>S37 Wear suitable gloves.</li><li>S35 This material and its container must be disposed of in a safe way.</li></ul>

US Hazard Classification: Hazardous

SensiTemp<sup>®</sup> Resin Temporary Cement – Catalyst and Base

## 3. COMPOSITION AND INFORMATION ON INGREDIENTS

Hazardous Components	C.A.S. # EC#	IUPAC Name	Substance Classification 67/548/EEC (EC) No 1272/2008	WT %
Catalyst				
(1-methylethylidene)bis[4,1- phenyleneoxy(2-hydroxy-3,1- propanediyl)] bismethacrylate	1565-94-2 / 216-367-7	[2-hydroxy-3-[4-[2-[4-[2- hydroxy-3-(2-methylprop-2- enoyloxy)propoxy]phenyl]p ropan-2-yl]phenoxy]propyl] 2-methylprop-2-enoate	Xi R43	20-30
2,2'-ethylenedioxydiethyl dimethacrylate	109-16-0 / 203-652-6	2-[2-[2-(2-methylprop-2- enoyloxy)ethoxy]ethoxy]eth yl 2-methylprop-2-enoate	Xi R43	10-20
Surfactant	68412-54-4 / Polymer	Not available	Xi, R36/38	1-5
Dibenzoyl peroxide	94-36-0 / 202-327-6	benzoyl benzenecarboperoxoate	E, O, Xi R3, R7, R36, R43 Org. Perox. B; H241 Eye Irrit. 2; H319 Skin Sens. 1; H317	0.1-1
Base				
7,7,9(or 7,9,9)-trimethyl-4,13-dioxo- 3,14-dioxa-5,12-diazahexadecane- 1,16-diyl bismethacrylate	72869-86-4 / 276-957-5	2-[[3,5,5-trimethyl-6-[2-(2- methylprop-2- enoyloxy)ethoxycarbonyla mino]hexyl]carbamoyloxy]e thyl 2-methylprop-2-enoate	Xi R43	20-30
2,2'-ethylenedioxydiethyl dimethacrylate	109-16-0 / 203-652-6	2-[2-[2-(2-methylprop-2- enoyloxy)ethoxy]ethoxy]eth yl 2-methylprop-2-enoate	Xi R43	10-20
Surfactant	68412-54-4 / Polymer	Not available	Xi, R36/38	1-10
Potassium Nitrate	7757-79-1 / 231-818-8	potassium nitrate	O, R8	1-5

# Refer to Section 16 for the full text of the EU Classifications and R Phrases.

## 4. FIRST-AID MEASURES

Routes of Exposure	First Aid Instructions
Eye	Flush eyes with large quantities of water several minutes, holding the eyelids apart. Get medical attention if irritation persists.
Skin	Wipe excess off skin. Wash skin thoroughly with soap and water. Get medical attention if irritation develops or persists.
Inhalation	None needed under normal use conditions. If irritation develops, remove to fresh air and get medical attention.
Ingestion	If small amount are swallowed, no adverse effects are expected. For large amounts, rinse mouth with water. Do not induce vomiting. Never give anything by mouth to an unconscious or convulsing person. Get medical attention.

SensiTemp<sup>®</sup> Resin Temporary Cement – Catalyst and Base

Most important symptoms of exposure	Uncured product may cause mild eye and skin irritation. Uncured product may cause allergic skin reaction (sensitization).		
Other	None known.		
Note to Physicians (Treatment, Testing, and Monitoring): Treatment of overexposure should be directed at the control			

of symptoms and clinical conditions.

# 5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media:         Use media appropriate for surrounding fire.				
Fire Fighting Procedures:	Cool fire exposed conta	Cool fire exposed containers and structures with water.		
Specific Hazards Arising fro the Chemical:	m None known.	None known.		
Precautions for Fire Fighter		Firefighters should wear positive pressure self-contained breathing apparatus and full protective clothing for all fires involving chemicals.		
Recommended Protective Equipment for Fire Fighters:				
EYES/FACE	EYES/FACE SKIN		THERMAL	
B				

# 6. ACCIDENTAL RELEASE MEASURES

Personal Precautions, PPE and Emergency Procedures: Wear eye and skin protection.

Environmental Precautions: Prevent spill from entering sewers and water courses. Report releases as required by local and national authorities.

Methods and Materials for Containment and Clean-up: Scoop or wipe up and place in appropriate containers for disposal. May cause a slip hazard. Wash spill area with soap and water.

Recommended Personal Protective Equipment for Containment and Clean-up:						
EYES/FACE	EYES/FACE SKIN RESPIRATORY THERMAL					

SensiTemp<sup>®</sup> Resin Temporary Cement – Catalyst and Base

## 7. HANDLING AND STORAGE

Precautions for Safe Handing: Avoid contact with the eyes and skin. Use in accordance with package instructions.

Conditions for Safe Storage: Store away from extreme heat and sunlight

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Occupational Exposure Limits:		
(1-methylethylidene)bis[4,1- phenyleneoxy(2-hydroxy-3,1- propanediyl)] bismethacrylate	United States	None Established
	Germany	None Established
	United Kingdom	None Established
	France	None Established
	Spain	None Established
	Italy	None Established
	European Union	None Established
2,2'-ethylenedioxydiethyl dimethacrylate	United States	None Established
	Germany	None Established
	United Kingdom	None Established
	France	None Established
	Spain	None Established
	Italy	None Established
	European Union	None Established
Surfactant	United States	None Established
	Germany	None Established
	United Kingdom	None Established
	France	None Established
	Spain	None Established
	Italy	None Established
	European Union	None Established

SensiTemp<sup>®</sup> Resin Temporary Cement – Catalyst and Base

Dibenzoyl peroxide	United States	5 mg/m3 TWA OSHA PEL 5 mg/m3 TWA ACGIH TLV	
	Germany	5 mg/m3 DFG MAK (inhalab	le fraction)
	United Kingdom	5 mg/m3 TWA UK OEL	
	France	5 mg/m3 TWA INRS VME	
	Spain	5 mg/m3 TWA VLA-ED	
	Italy	None Established	
	European Union	None Established	
7,7,9(or 7,9,9)-trimethyl-4,13-dio 3,14-dioxa-5,12-diazahexadecane diyl bismethacrylate		None Established	
	Germany	None Established	
	United Kingdom	None Established	
	France	None Established	
	Spain	None Established	
	Italy	None Established	
	European Union	None Established	
Potassium Nitrate	United States	None Established	
	Germany	None Established	
	United Kingdom	None Established	
	France	None Established	
	Spain	None Established	
	Italy	None Established	
	European Union	None Established	
	rols: No special controls rec s (PPE) ction: Chemical safety gog	gles recommended for handling u	
glove: Nitrile gloves. C	Consult glove supplier for the rotection: None required un	s to prevent skin contact with unre- ickness and breakthrough times. Ider normal use conditions.	eacted product. Recommended
		al Protective Equipment:	
EYES/FACE	SKIN	RESPIRATORY	THERMAL
$\bigcirc$			

SensiTemp<sup>®</sup> Resin Temporary Cement – Catalyst and Base

Environmental Exposure Controls: None required for normal use.

General Hygiene Considerations and Work Practices: Avoid contact with the eyes, skin and clothing. Wash thoroughly with soap and water after handling.

Protective Measures During Repair and Maintenance of Contaminated Equipment: Not applicable for product.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance:	White paste	Explosive limits:	Not applicable
Odor:	Weak, ester like odor	Vapor pressure:	Not applicable
Odor threshold:	Not available	Vapor density:	>1
рН:	Not available	Relative density:	Not available
Melting/freezing point:	Not available	Solubility:	Insoluble
Initial boiling point and range:	>482°F/>250°C	Partition coefficient: n- octanol/water:	Not available
Flash point:	Not flammable	Auto-ignition temperature:	Not available
Evaporation rate:	> 1	Decomposition temperature:	Not available
Flammability:	Not flammable	Viscosity:	Not available
Explosive Properties:	None	Oxidizing Properties:	None

## **10. STABILITY AND REACTIVITY**

**Reactivity:** No unusual reactivity.

Chemical Stability: Stable.

Possibility of Hazardous Reactions: Hazardous reactions are unlikely.

Conditions to Avoid: Avoid heat and UV light.

**Incompatible materials:** Avoid oxidizing agents.

SensiTemp<sup>®</sup> Resin Temporary Cement – Catalyst and Base

Hazardous Decomposition Products: Thermal decomposition may produce carbon oxides, water and acrylic decomposition products.

## **11. TOXICOLOGICAL INFORMATION**

## **Potential Health Effects:**

Eves: Direct contact may cause mild irritation with redness and tearing.

Skin: Prolonged contact may cause dryness or irritation. May cause allergic skin reaction (sensitization).

<u>Ingestion</u>: No adverse effects are expected from swallowing small amounts. Large amounts may cause gastric upset with nausea.

Inhalation: None expected from normal use.

Chronic Health Effects: None known.

Carcinogenicity: None of the components of this product are listed as carcinogens by OSHA, IARC, ACGIH, NTP or EU Directives.

Mutagenicity: No mutagenic effects are expected.

Medical Conditions Aggravated by Exposure: None known.

Acute Toxicity Data:

Product toxicity: LD50 oral rat >5,000 mg/kg

**<u>Reproductive Toxicity Data:</u>** No reproductive or teratogenic effects are expected.

Specific Target Organ Toxicity (STOT):

Single Exposure: Methacrylates has been shown to cause sensitization in humans.

<u>Repeated Exposure</u>: No data available, however, no adverse effects are expected.

## **12. ECOLOGICAL INFORMATION**

Toxicity: No adverse effects are expected on aquatic organisms.

Persistence and Degradability: This product is expected to be removed by sedimentation or degradation.

**Bio-accumulative Potential:** This product is not expected to bio-accumulate.

Mobility in Soil: No data is available.

Other Adverse Effects: None known.

Results of PBT/vPvB Assessment: Not required.

## **13. DISPOSAL CONSIDERATIONS**

**Regulations:** Dispose in accordance with local and national environmental regulations.

Properties (Physical/Chemical) Affecting Disposal: None known.

Waste Treatment Recommendations: None needed for normal anticipated use.

# **14. TRANSPORT INFORMATION**

UN Number:	ADR/RID: None	IMDG: None	IATA: None	DOT: None
UN proper shipping name:	ADR/RID: Not Regu IMDG: Not Regulate IATA: Not Regulate DOT: Not Regulate	ed d		
Transport hazard class(es):	ADR/RID: None	IMDG: None	IATA: None	DOT: None
Packaging group:	ADR/RID: None	IMDG: None	IATA: None	DOT: None
Environmental hazards:	ADR/RID: No	IMDG Marine pollutant No:	IATA: No	DOT: No
Special precautions fo	r user: Not applicable			

# **15. REGULATORY INFORMATION**

## U.S. Federal Regulations

**Comprehensive Environmental Response and Liability Act of 1980 (CERCLA):** This product is not subject to CERCLA reporting requirements. Many states have more stringent release reporting requirements. Report spills required under federal, state and local regulations.

Toxic Substances Control Act (TSCA): This product is a medical device and not subject to chemical notification requirements.

OSHA Hazard Classification: Sensitizer, irritant

Clean Water Act (CWA): Not Listed

Clean Air Act (CAA): Not Listed

## Superfund Amendments and Reauthorization Act (SARA) Title III Information:

## SARA Section 311/312 (40 CFR 370) Hazard Categories:

Immediate Hazard:	Yes	Pressure Hazard:	No
Delayed Hazard:	No	Reactivity Hazard:	No
Fire Hazard:	No		

This product contains the following toxic chemical(s) subject to reporting requirements of SARA Section 313 (40 CFR 372):

Components	C.A.S. #	WT %
None		

#### **State Regulations**

**California:** This product contains the following chemicals(s) known to the State of California to cause cancer, birth defects or reproductive harm:

Components	C.A.S. #	WT %
None		

## **International Regulations**

EU REACH: The substances in this product comply with the EU REACH regulation as applicable.

16. OTHER INFORMATION
Full text of Classification abbreviations used in Section 2 and 3:
<ul> <li>E Explosive</li> <li>O Oxidizer</li> <li>Xi Irritant</li> <li>R3 Extreme risk of explosion by shock, friction, fire or other sources of ignition.</li> <li>R7 May cause fire.</li> <li>R8 Contact with combustible material may cause fire.</li> <li>R36 Irritating to eyes.</li> <li>R36/38 Irritating to eyes and skin.</li> </ul>
R43 May cause sensitization by skin contact. Org. Perox. B Organic Peroxide Category B Eye Irrit. 2 Eye Irritant Category 2 Skin Sens. 1 Skin Sensitizer Category 2 H241 Heating may cause a fire or explosion.
<ul><li>H317 May cause an allergic skin reaction.</li><li>H319 Causes serious eye irritation.</li><li>Date of SDS Preparation/Revision: 26 August 2011</li></ul>

Data Sources: US NLM ChemID Plus and HSDB, Substance SDS for components, IUCLID Dataset EU Chemical Bureau, ESIS, Country websites for occupational exposure limits.