

# MATERIAL SAFETY DATA SHEET ULTRADOSE ULTRASONIC CLEANING SOLUTION

**PCN(s): 012** Publication Date: 4/25/2013 REV: H

# 1. SUPPLIER AND EMERGENCY INFORMATION Emergency Phone Numbers:

L&R Manufacturing Company 577 Elm Street, P.O. Box 607 Kearny, NJ 07032 - 0607 USA Product Information Call: **201-991-5330** www.lrultrasonics.com For emergencies involving a spill, leak,

fire or accident contact:

CHEMTREC - 800-424-9300

within the United States or (01)703-527-3887 [USA] for International collect calls

## 2. HAZARDS IDENTIFICATION

Physical appearance and odor: Honey color, clear solution, with characteristic detergent odor.

A: Warning Statement:

Good industrial hygiene practices should be used when handling this material.

**Acute Eyes:** Direct contact causes irritation, redness and possible tearing.

Acute Skin: Prolonged or repeated contact causes redness, and drying of the skin.

Acute Inhalation: Breathing high concentrations of vapors or mists may cause irritation to the nose and drowsiness.

Acute Ingestion: Will cause irritation to the digestive tract and signs of nervous system depression.

**B: POTENTIAL HEALTH EFFECTS:** 

Chronic Effects: This product does not contain any ingredient designated by IARC, NTP, ACGIH or OSHA as probable or

suspected human carcinogens.

### 3. COMPOSITION/INFORMATION ON INGREDIENTS

Component	CAS Number	Percentage
Water	7732-18-5	35 - 45 x
Sodium Tetraborate	1303-96-4	1-2 x
Dodecylthioethoxylate	9004-83-5	1 - 5
Propanol, (2-Methoxy Methylethoxy)	39590-94-8	10-20 x check name
Nonylphenoxypolyethanol	9016-45-9	1 - 10 x
Ethoxylated, Propoxylated C8- C10 Alcohols	68603-25-8	1 - 2
Surfactant	68608-65-1	25 - 35 x

## 4. FIRST AID MEASURES

Eye Exposure: Hold eyelids open and flush with a steady, gentle stream of water for at least 15 minutes. Seek medical attention.

Skin Exposure: Wash thoroughly with water. If irritation or redness develops, seek medical attention.

Inhalation: If respiratory irritation or distress occurs, move victim to fresh air. Seek medical attention if respiratory irritation or distress

continues.

Ingestion: Seek immediate medical attention. INDUCE VOMITING AS DIRECTED BY MEDICAL PERSONNEL.

MEDICAL CONDITIONS POSSIBLY AGGRAVATED BY EXPOSURE: Skin contact may aggravate existing skin disease.

# 5. FIRE FIGHTING MEASURES

#### FIRE HAZARD DATA:

Suitable Extinguishing Media: Extinguish with dry chemical, CO2 or a BC/ABC extinguisher.

**Special Fire Fighting Procedures:** None known

Unusual Fire and Explosion Hazards: Product will burn under fire conditions. Closed containers may explode due to build pressure

when exposed to extreme heat.

Hazardous Decomposition Materials: (under fire conditions) Oxides of nitrogen, carbon and sulfur.

## 6. ACCIDENTAL RELEASE MEASURES:

Cleanup and Disposal of Spill: Mop up spill and dispose of by dilution to a sanitary sewer system as

permitted by local, state and federal regulations.

Environmental and Regulatory Reporting: Not required

#### 7. HANDLING AND STORAGE

Minimum/Maximum Storage Temperatures: 39 to 100° F Protect from freezing

HANDLING: AVOID CONTACT WITH SKIN, EYES OR CLOTHING

#### 8. EXPOSURE CONTROL/PERSONAL PROTECTION

**General:** These recommendations provide general guidance for handling of this product. Because specific work environments and material handling practices vary, safety procedures should be developed for each intended application. When developing safe handling procedures, do not overlook the need to clean and dispose of the material. Waste resulting from the use of this product should be handled in accordance with Section 13: Disposal Considerations.

Exposure Guidelines: Exposure limits are recommended worker breathing limits. The following limits apply to this material:

INGREDIENTS LIMITS INGREDIENTS LIMITS

Water
Propanol, ( 2 Methoxy Methylethoxy )
Nonyl Phenoxy Ethyleneoxy Ethanol
Ethoxylated Propoxylated C8-10 Alcohol

None established 100 ppm TWA, OSHA None eastablished None established Sodium Tetraborate Dodecylthioethoxylate "Surfactant" 10 mg/m<sup>3</sup> None established None established

Engineering Controls: Normal room ventilation.

Respiratory Controls: For reasonable uses of this material, respiratory protection should not be necessary.

Eye/Face Protection: Safety glasses to protect from splashing.

**Skin Protection:** Rubber or plastic gloves to avoid drying and irritation to the skin.

Work Practice Control: Normal hygiene in the work area should be taken when working with or handling this product.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

Physical State: Clear LiquidColor: HoneyOdor: Characteristic odor.pH: 10.2Specific Gravity: 1.026Odor Threshold: Not availableWater Solubility: SolubleMelting Point Range: Not availableEvaporation Rate: Not available

Freezing Point Range: 6°F

Vapor Pressure: Not established

Boiling Point: Approx. 210 degrees F
Vapor Density: Not established

Partition Coefficient; n-octanol / water: Not available
Decomposition Temperature: Not available

Flash Point: None Method: Tag Closed Cup Auto Ignition Temperature: Not available

Flammability limits (vol/vol %): Lower: No Data Upper: No Data

Percent volatile by volume: Approximately 60% by volume V.O.C. (calculated): Concentrate: 1.71 lbs./ gal or 204.9 grams /l. Diluted as directed: 0.015

lbs/gal or .6 g/l.

## 10. STABILITY AND REACTIVITY

Chemical Stability: Stable

Conditions to be avoided: Heat open flame

Materials/Chemicals to be avoided: Strong acids and oxidizing agents.

Decomposition Type: Thermal Oxides of carbon, nitrogen and sulfur.

Possibility of Hazardous Reactions: WILL NOT OCCUR

#### 11. TOXICOLOGICAL INFORMATION

**Acute Eye Irritation:** Irritating to eyes. **Acute Skin Irritation:** Irritating to Skin.

Acute Dermal Toxicity: No test data found for product.
Acute Respiratory Irritation: No test data found for product
Acute Inhalation Toxicity: No test data found for product.

**Acute Oral Toxicity:** 

LD50 (rat) LD50( rat ) = 3.0 gm / kg for Dodecylthioethoxylate LD50 ( rat ) > 5000 mg / kg for "Surfactant" LD50 (rat) = 2660 mg / kg for sodium tetraborate LD50 (rat) = 4 gm / kg for Nonylphenoxypolyethanol LD50 ( rat) = 3089 mg / kg 2-Propoxy ethanol LD50( rat ) = 2400 mg/kg Ethoxylated C8-10 alcohols LD50 ( rat ) = 5400 uL for Propanol, ( 2 Methoxy Methylethoxy

**Chronic Toxicity:** This product does not contain any substances that are considered by OSHA, NTP, IARC OR ACGIH to be a probable or suspected human carcinogen. No additional test data was found for this product.

# 12. ECOLOGICAL INFORMATION

Ecotoxicological Information: No data found.

## 13. DISPOSAL CONSIDERATIONS

This product can be disposed in sanitary sewer system, where permitted by local, federal and state regulations.

## 14. TRANSPORTATION INFORMATION

This product is not regulated for transportation. Do not stack cartons more than five high.

## 15. REGULATORY INFORMATION

Inventory Issues: All components of this product are listed on the U.S. TSCA, Canadian DSL, European EINECS/ELINS chemical listings

# 16. OTHER INFORMATION

# **National Fire Protection Association**

Hazard Rating, NFPA Health Flammability Reactivity Special
2 1 0 ---

## MSDS CHANGES

 REV
 DATE
 DESCRIPTION OF CHANGE

 G
 8/17/11
 Reviwed/Updated

 H
 4/25/13
 Reviewed/Updated

Disclaimer: The information herein is given in good faith but no warranty expressed or implied is made.

Prepared By: L&R Manufacturing Company Date: 4/25/2013

Product Name: ULTRADOSE ULTRASONIC CLEANING SOLUTION